




Ms Kelly Ho

Tel: 0086 - 0760 - 8759 8298

WeChat: Upwardlighting

Website: <https://upwardlighting.com>

Mobile: 0086 - 135 2827 1092

WhatsApp: 0086 135 2827 1092

E-mail: sales2@upwardlighting.com

Mr Michael Liao

Tel: 0086 - 0760 - 8759 8298

Mobile: 0086 - 138 2277 0715

Website: <https://upwardlighting.com>

WhatsApp: 0086 - 138 2277 0715

WeChat: Upwardlights

E-mail: michael@upwardlighting.com

ADD: FLOOR 5, N.O. 67 OF JINGANG ROAD, WEST DISTRICT OF ZHONGSHAN CITY, 528401, GUANGDONG PROVINCE, CHINA




IP65

ZHONGSHAN UPWARD LIGHTING CO., LTD



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-257	12W	Ø85*H54 MM	Ø75 MM
UPW-COBTH-258	18W	Ø105*H65 MM	Ø95 MM
UPW-COBTH-259	25W-30W	Ø131*H75 MM	Ø115 MM
UPW-COBTH-260	30W-35W	Ø150*H80 MM	Ø135 MM
UPW-COBTH-261	40W-50W	Ø191*H95 MM	Ø175 MM
UPW-COBTH-262	50W-60W	Ø215*H105 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54-IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-077		7W	Ø64*H75 MM	Ø55 MM
UPW-COBTH-078		12W	Ø85*H94 MM	Ø75 MM
UPW-COBTH-079		20W	Ø104*H114 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-210		12W	Φ80*H72 MM	Ø75 MM
UPW-COBTH-211		15W	Φ80*H85 MM	Ø75 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-212		8W	Φ62*H60 MM	Ø55 MM
UPW-COBTH-213		12W	Φ80*H72 MM	Ø75 MM
UPW-COBTH-214		15W	Φ80*H85 MM	Ø75 MM
UPW-COBTH-215		24W	Φ105*H85 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-216		2*12W	L170*W88*H87 MM	L160*W80 MM
UPW-COBTH-217		2*15W	L170*W88*H97 MM	L160*W80 MM
UPW-COBTH-218		2*20W	L214*W110*H112 MM	L200*W100 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-450	12W	Ø88*H102 MM	Ø80 MM	15° / 24° / 36° / 55°
UPW-COBTH-451	20W	Ø115*H125 MM	Ø100 MM	15° / 24° / 36° / 55°
UPW-COBTH-452	30W	Ø135*H155 MM	Ø120 MM	15° / 24° / 36° / 55°
UPW-COBTH-453	50W	Ø165*H185 MM	Ø150 MM	15° / 24° / 36°
UPW-COBTH-454	60W	Ø190*H215 MM	Ø180 MM	20° / 40° / 60°
UPW-COBTH-455	80W	Ø215*H240 MM	Ø200 MM	20° / 40° / 60°
UPW-COBTH-456	120W	Ø240*H270 MM	Ø230 MM	20° / 40° / 60°





Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-312	8W	Ø65*H85 MM	Ø55 MM
UPW-COBTH-313	12W	Ø85*H85 MM	Ø75 MM
UPW-COBTH-314	15W	Ø85*H95 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-001	7W	2.5"	Ø95*H102 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-002	10W-15W	3.5"	Ø115*H116 MM	Ø95 MM	24° / 40° / 60°
UPW-COBTH-003	20W-25W	4"	Ø142*H131 MM	Ø125 MM	24° / 40° / 60°
UPW-COBTH-004	30W-40W	5"	Ø160*H133 MM	Ø140 MM	24° / 40° / 60°
UPW-COBTH-005	45W-50W	6"	Ø185*H136 MM	Ø160 MM	24° / 40° / 60°
UPW-COBTH-006	60W-70W	8"	Ø230*H155 MM	Ø200 MM	24° / 60°
UPW-COBTH-007	70W-80W	8"	Ø230*H176 MM	Ø200 MM	24° / 60°

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-315	8W	Ø65*H85 MM	Ø55 MM
UPW-COBTH-316	12W	Ø85*H85 MM	Ø75 MM
UPW-COBTH-317	15W	Ø85*H95 MM	Ø75 MM
UPW-COBTH-318	20W	Ø110*H110 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-046	5W	2"	Ø65*H60 MM	Ø55 MM	18°
UPW-COBTH-047	7W-12W	2.5"	Ø85*H70 MM	Ø72 MM	28° / 36°
UPW-COBTH-048	18W-24W	3.5"	Ø105*H100 MM	Ø92 MM	24° / 38° / 45°



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-283	12W	L88*W88*H87 MM	L80*W80 MM
UPW-COBTH-284	15W	L88*W88*H97 MM	L80*W80 MM
UPW-COBTH-285	20W	L110*W110*H112 MM	L100*W100 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-308	8W	Φ80*H85 MM	Ø55 MM
UPW-COBTH-309	12W	Ø110*H85 MM	Ø75 MM
UPW-COBTH-310	15W	Ø110*H95 MM	Ø75 MM
UPW-COBTH-311	20W	Ø140*H110 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



150 MM

180 MM



Model N.O.	Power	Inches	Product Size	Reflector's Angle
UPW-COBTH-013	12W-30W	5"	Ø150*H180 MM	15° / 24° / 36°



IP65



Model N.O.	Power	Product Size
UPW-COBTH-484	12-15W	Ø72*H90 MM
UPW-COBTH-485	20W	Ø92*H100 MM
UPW-COBTH-486	25W	Ø112*H110 MM
UPW-COBTH-487	30W	Ø138*H117 MM
UPW-COBTH-488	40W	Ø158*H138 MM
UPW-COBTH-489	50-60W	Ø178*H160 MM
UPW-COBTH-490	80-100W	Ø195*H180 MM
Led's Brand	Bridgelux, CREE, Osram, Philips	
Warranty	5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade IP54
Input Voltage	220V-240VAC	Beam Angle Options 24° / 38° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K	

Model N.O.	Power	Product Size
UPW-COBTH-491	12-15W	Ø72*H90 MM
UPW-COBTH-492	20W	Ø92*H100 MM
UPW-COBTH-493	25W	Ø112*H110 MM
UPW-COBTH-494	30W	Ø138*H117 MM
UPW-COBTH-495	40W	Ø158*H138 MM
UPW-COBTH-496	50-60W	Ø178*H160 MM
UPW-COBTH-497	80-100W	Ø195*H180 MM
Led's Brand	Bridgelux, CREE, Osram, Philips	
Warranty	5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade IP65
Input Voltage	220V-240VAC	Beam Angle Options 24° / 38° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



IP65

Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-087	20W	2.5"	Ø90*H110 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-088	30W	3.5"	Ø115*H127 MM	Ø95 MM	15° / 24° / 36°
UPW-COBTH-089	40W	4"	Ø140*H152 MM	Ø120 MM	15° / 24° / 36°
UPW-COBTH-090	50W	5"	Ø160*H168 MM	Ø140 MM	15° / 24° / 36°

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-274	15W	L90*W90*H60 MM	L75*W75 MM
UPW-COBTH-275	20W	L110*W110*H70 MM	L95*W95 MM
UPW-COBTH-276	30W	L145*W145*H75 MM	L125*W125 MM
UPW-COBTH-277	40W	L165*W165*H85 MM	L145*W145 MM
UPW-COBTH-278	50W	L168*W185*H92 MM	L165*W165 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-060		12W	Ø82*H65 MM	Ø75 MM
UPW-COBTH-061		25W	Ø110*H95 MM	Ø95 MM
UPW-COBTH-062		35W	Ø120*H102 MM	Ø105 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-091		7W	Ø54*H75 MM	Ø55 MM
UPW-COBTH-092		12W	Ø74*H94 MM	Ø75 MM
UPW-COBTH-093		20W	Ø94*H114 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-094	7W	2"	Ø63*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-095	10W	3"	Ø85*H70 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-096	12W	3"	Ø85*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-097	15W	3"	Ø85*H100 MM	Ø95 MM	15° / 24° / 36°
UPW-COBTH-098	20W	3.5"	Ø110*H87 MM	Ø95 MM	15° / 24° / 36°



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-099	7W	2"	Ø63*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-100	10W	3"	Ø85*H70 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-101	12W	3"	Ø85*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-102	15W	3"	Ø85*H100 MM	Ø95 MM	15° / 24° / 36°
UPW-COBTH-103	20W	3.5"	Ø110*H87 MM	Ø95 MM	15° / 24° / 36°



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-114		7W	Ø62*H88 MM	Ø55 MM
UPW-COBTH-115		12W	Ø82*H85 MM	Ø75 MM
UPW-COBTH-116		15W	Ø82*H95 MM	Ø75 MM
UPW-COBTH-117		20W	Ø103*H112 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-122		12W	Ø85*H48 MM	Ø75 MM
UPW-COBTH-123		15W	Ø105*H55 MM	Ø95 MM
UPW-COBTH-124		24W	Ø135*H63 MM	Ø120 MM
UPW-COBTH-125		30W	Ø160*H68 MM	Ø145 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-204		7W	Φ78*H61 MM	Φ55 MM
UPW-COBTH-205		12W	Φ98*H72 MM	Φ75 MM
UPW-COBTH-206		15W	Φ98*H85 MM	Φ75 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-207		7W	Φ62*H60 MM	Φ55 MM
UPW-COBTH-208		12W	Φ84*H71 MM	Φ75 MM
UPW-COBTH-209		15W	Φ84*H85 MM	Φ75 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Trimless

Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-104	7W	Ø81*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-105	10W	Ø101*H75 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-106	12W	Ø101*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-107	15W	Ø101*H100 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-108	20W	Ø130*H87 MM	Ø95 MM	15° / 24° / 36°



Trimless

Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-109	7W	L89*W51*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-110	10W	L114*W71*H70 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-111	12W	L114*W71*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-112	15W	L114*W71*H110 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-113	20W	L141*W92*H87 MM	Ø95 MM	15° / 24° / 36°



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-200		12W	Φ82*72 MM	Ø75 MM
UPW-COBTH-201		15W	Φ82*85 MM	Ø75 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-202		12W	Φ82*72 MM	Ø75 MM
UPW-COBTH-203		15W	Φ82*85 MM	Ø75 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-651	7W	Ø62*H80 MM	Ø55 MM
UPW-COBTH-652	10W	Ø83*H83 MM	Ø75 MM
UPW-COBTH-653	18W	Ø105*H93 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-360	20W	Ø100*H130 MM	Ø90 MM
UPW-COBTH-361	35W	Ø130*H150 MM	Ø120 MM
UPW-COBTH-362	45W	Ø160*H170 MM	Ø150 MM
UPW-COBTH-363	65W	Ø190*H190 MM	Ø180 MM
UPW-COBTH-364	85W	Ø220*H210 MM	Ø210 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-118		10W	Ø63*H53 MM	Ø55 MM
UPW-COBTH-119		15W	Ø83*H60 MM	Ø75 MM
UPW-COBTH-120		20W	Ø105*H66 MM	Ø95 MM
UPW-COBTH-121		30W	Ø128*H78 MM	Ø115 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle	24°, 36°, 55°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-654		10W	Ø74*H75 MM	Ø65 MM
UPW-COBTH-655		12W	Ø84*H78 MM	Ø75 MM
UPW-COBTH-656		18W	Ø94*H92 MM	Ø85 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-189	5-7W	Ø75*H40 MM	Ø55-65 MM
UPW-COBTH-190	9W	Ø100*H43 MM	Ø75-90 MM
UPW-COBTH-191	12W	Ø120*H43 MM	Ø90-110 MM
UPW-COBTH-192	15W	Ø150*H45 MM	Ø120-140 MM
UPW-COBTH-193	18W	Ø175*H50 MM	Ø140-165 MM
UPW-COBTH-194	24W	Ø197*H50 MM	Ø160-185 MM
UPW-COBTH-195	36W	Ø230*H55 MM	Ø190-220 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-196	7W	Φ62*H60 MM	Ø55 MM
UPW-COBTH-197	12W-15W	Φ80*H85 MM	Ø75 MM
UPW-COBTH-198	24W	Φ105*H85 MM	Ø95 MM
UPW-COBTH-199	40W	Φ140*H110 MM	Ø130 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-498	60W	Ø190*H150 MM	Ø175 MM
UPW-COBTH-499	80W	Ø210*H170 MM	Ø195 MM
UPW-COBTH-500	100W	Ø230*H190 MM	Ø215 MM
UPW-COBTH-501	150W	Ø260*H235 MM	Ø235 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	38° / 60° / 90°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size
UPW-COBTH-502	60W	Ø157*H150 MM
UPW-COBTH-503	80W	Ø177*H170 MM
UPW-COBTH-504	100W	Ø197*H190 MM
UPW-COBTH-505	150W	Ø220*H235 MM
Led's Brand	Bridgelux, CREE, Osram, Philips	
Warranty	5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade IP65
Input Voltage	220V-240VAC	Beam Angle Options 38° / 60° / 90°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-506	15W	Ø85*H65 MM	Ø50-75 MM
UPW-COBTH-507	25W	Ø100*H75 MM	Ø65-85 MM
UPW-COBTH-508	40W	Ø130*H105 MM	Ø75-120 MM
UPW-COBTH-509	60W	Ø155*H120 MM	Ø95-145 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 38°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-477	12W	Ø85*H50 MM	Ø75 MM
UPW-COBTH-478	15W	Ø105*H60 MM	Ø95 MM
UPW-COBTH-479	20W	Ø130*H70 MM	Ø115 MM
UPW-COBTH-480	30W	Ø155*H85 MM	Ø140 MM
UPW-COBTH-481	40W	Ø180*H90 MM	Ø160 MM
UPW-COBTH-482	50W	Ø225*H105 MM	Ø200 MM
UPW-COBTH-483	60W	Ø225*H105 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24° / 38° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-510	5W	Ø70*H60 MM	Ø65 MM
UPW-COBTH-511	9W	Ø86*H80 MM	Ø75 MM
UPW-COBTH-512	15W	Ø107*H80 MM	Ø95 MM
UPW-COBTH-513	20W	Ø135*H110 MM	Ø120 MM
UPW-COBTH-514	30W	Ø160*H115 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-515	5W	Ø62*H60 MM	Ø62 MM
UPW-COBTH-516	9W	Ø75*H85 MM	Ø75 MM
UPW-COBTH-517	15W	Ø95*H87 MM	Ø95 MM
UPW-COBTH-518	20W	Ø120*H105 MM	Ø120 MM
UPW-COBTH-519	30W	Ø140*H115 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-520	10W	Ø77*H102 MM	Ø67 MM
UPW-COBTH-521	15W	Ø87*H103 MM	Ø78 MM
UPW-COBTH-522	20W	Ø110*H130 MM	Ø103 MM
UPW-COBTH-523	30W	Ø135*H160 MM	Ø128 MM
UPW-COBTH-524	40W	Ø178*H180 MM	Ø170 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	30°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-525	10W	Ø105*H135 MM	Ø90 MM
UPW-COBTH-526	20W	Ø135*H150 MM	Ø110 MM
UPW-COBTH-527	25W	Ø165*H170 MM	Ø135 MM
UPW-COBTH-528	40W	Ø195*H200 MM	Ø165 MM
UPW-COBTH-529	80W	Ø230*H220 MM	Ø190 MM
UPW-COBTH-530	100W	Ø280*H260 MM	Ø250 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 30°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-531	10W	Ø110*H100 MM	Ø90 MM
UPW-COBTH-532	20W	Ø130*H120 MM	Ø110 MM
UPW-COBTH-533	30W	Ø160*H130 MM	Ø130 MM
UPW-COBTH-534	40W	Ø190*H150 MM	Ø160 MM
UPW-COBTH-535	80W	Ø230*H160 MM	Ø190 MM
UPW-COBTH-536	100W	Ø230*H160 MM	Ø190 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 45° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-537	10W	L110*W110*H100 MM	L80*W80 MM
UPW-COBTH-538	15W	L135*W135*H120 MM	L100*W100 MM
UPW-COBTH-539	30W	L180*W180*H130 MM	L135*W135 MM
UPW-COBTH-540	40W	L200*W200*H150 MM	L175*W175 MM
UPW-COBTH-541	80W	L240*W240*H160 MM	L220*W220 MM
UPW-COBTH-542	80W	L280*W280*H160 MM	L220*W220 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 45° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-543	30W	Ø130*H100 MM	Ø100 MM
UPW-COBTH-544	40W	Ø160*H118 MM	Ø135 MM
UPW-COBTH-545	50W	Ø190*H120 MM	Ø170 MM
UPW-COBTH-546	80W	Ø230*H140 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-547	10W	Ø160*H80 MM	Ø130 MM
UPW-COBTH-548	20W	Ø190*H90 MM	Ø160 MM
UPW-COBTH-549	30W	Ø230*H95 MM	Ø200 MM
UPW-COBTH-550	40W	Ø280*H120 MM	Ø240 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-304	10W	Ø130*H65 MM	Ø110 MM
UPW-COBTH-305	20W	Ø165*H70 MM	Ø130 MM
UPW-COBTH-306	30W	Ø195*H75 MM	Ø170 MM
UPW-COBTH-307	40W	Ø230*H80 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-551	10W	Ø145*H60 MM	Ø125 MM
UPW-COBTH-552	20W	Ø190*H60 MM	Ø160 MM
UPW-COBTH-553	30W	Ø220*H70 MM	Ø190 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-554	10W	Ø95*H49 MM	Ø75 MM
UPW-COBTH-555	15W	Ø115*H59 MM	Ø95 MM
UPW-COBTH-556	20W	Ø140*H72 MM	Ø115 MM
UPW-COBTH-557	30W	Ø165*H88 MM	Ø145 MM
UPW-COBTH-558	50W	Ø195*H100 MM	Ø165 MM
UPW-COBTH-559	70W	Ø230*H118 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-560	9W	Ø93*H46 MM	Ø75 MM
UPW-COBTH-561	12W	Ø112*H54 MM	Ø90 MM
UPW-COBTH-562	15W	Ø135*H63 MM	Ø110 MM
UPW-COBTH-563	20W	Ø163*H74 MM	Ø135 MM
UPW-COBTH-564	30W	Ø192*H85 MM	Ø160 MM
UPW-COBTH-565	40W	Ø225*H98 MM	Ø190 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	45° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		






Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-014	7W-12W	Ø94*H64 MM	Ø80 MM
UPW-COBTH-015	12W-15W	Ø114*H68 MM	Ø95 MM
UPW-COBTH-016	18W-24W	Ø140*H74 MM	Ø120 MM
UPW-COBTH-017	24W-36W	Ø184*H80 MM	Ø150 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-300	7W-12W	Ø94*H64 MM	Ø80 MM
UPW-COBTH-301	12W-15W	Ø114*H68 MM	Ø95 MM
UPW-COBTH-302	18W-24W	Ø140*H74 MM	Ø120 MM
UPW-COBTH-303	24W-36W	Ø184*H80 MM	Ø150 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-457	7W	Ø63*H69 MM	Ø55 MM	15° / 24° / 36° / 60°
UPW-COBTH-458	8W	Ø85*H64 MM	Ø75 MM	15° / 24° / 36° / 60°
UPW-COBTH-459	12W	Ø85*H74 MM	Ø75 MM	15° / 24° / 36° / 60°
UPW-COBTH-460	15W	Ø85*H89 MM	Ø75 MM	15° / 24° / 36° / 60°
UPW-COBTH-461	20W	Ø110*H83 MM	Ø95 MM	15° / 24° / 36° / 60°



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-063	7W	Ø100*H27 MM	Ø75 MM
UPW-COBTH-064	9W	Ø120*H28 MM	Ø95 MM
UPW-COBTH-065	12W	Ø135*H33 MM	Ø115 MM
UPW-COBTH-066	15W	Ø165*H33 MM	Ø145 MM
UPW-COBTH-067	20W	Ø195*H34 MM	Ø165 MM
UPW-COBTH-068	40W	Ø225*H36 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-411	9W	Ø100*H33 MM	Ø75 MM
UPW-COBTH-412	12W	Ø120*H33 MM	Ø95 MM
UPW-COBTH-413	15W	Ø145*H34 MM	Ø115 MM
UPW-COBTH-414	20W	Ø165*H34 MM	Ø145 MM
UPW-COBTH-415	25W	Ø180*H34 MM	Ø165 MM
UPW-COBTH-416	35W	Ø230*H35 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-462	15W	Ø83*H65 MM	Ø75 MM
UPW-COBTH-463	20W	Ø103*H70 MM	Ø95 MM
UPW-COBTH-464	30W	Ø132*H75 MM	Ø120 MM
UPW-COBTH-465	40W	Ø160*H80 MM	Ø145 MM
UPW-COBTH-466	50W	Ø180*H85 MM	Ø165 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-025	15W	Ø82*H95 MM	Ø75 MM
UPW-COBTH-026	30W	Ø104*H120 MM	Ø95 MM
UPW-COBTH-027	35W	Ø120*H125 MM	Ø105 MM
UPW-COBTH-028	40W	Ø130*H132 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36° / 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-029		15W	Ø82*H95 MM	Ø75 MM
UPW-COBTH-030		30W	Ø104*H120 MM	Ø95 MM
UPW-COBTH-031		35W	Ø120*H125 MM	Ø105 MM
UPW-COBTH-032		40W	Ø130*H132 MM	Ø115 MM
Led's Brand		Bridgelux, CREE, Osram, Philips		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15° / 24° / 36° / 55°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-052		5-7W	Ø51*H70 MM	Ø45 MM
UPW-COBTH-053		8-10W	Ø62*H70 MM	Ø55 MM
UPW-COBTH-054		10W	Ø72*H77 MM	Ø65 MM
UPW-COBTH-055		12W	Ø82*H77 MM	Ø75 MM
Led's Brand		Bridgelux, CREE, Osram, Philips		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-417	5W	Ø51*H70 MM	Ø45 MM
UPW-COBTH-418	7W	Ø62*H70 MM	Ø55 MM
UPW-COBTH-419	10W	Ø72*H70 MM	Ø65 MM
UPW-COBTH-420	12W	Ø82*H70 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-049	12W	Ø83*H42 MM	Ø75 MM
UPW-COBTH-050	18W	Ø104*H44 MM	Ø95 MM
UPW-COBTH-051	24W	Ø134*H46 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-057	12W	Ø62*H58 MM	Ø55 MM
UPW-COBTH-058	18W	Ø83*H62MM	Ø75 MM
UPW-COBTH-059	24W	Ø105*H74 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36° / 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-427	5W	Ø40*H60 MM	Ø35 MM
UPW-COBTH-428	9W	Ø60*H78MM	Ø55 MM
UPW-COBTH-429	12W	Ø74*H95MM	Ø69 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	25°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-069	3W	Ø35*H45 MM	Ø30 MM
UPW-COBTH-070	5W	Ø48*H50 MM	Ø40 MM
UPW-COBTH-071	7W	Ø60*H63 MM	Ø50 MM
UPW-COBTH-072	9W	Ø70*H71 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-073	5W	Ø40*H57 MM	Ø35 MM
UPW-COBTH-074	7W	Ø60*H76 MM	Ø55 MM
UPW-COBTH-075	12W	Ø75*H98 MM	Ø65 MM
UPW-COBTH-076	18W	Ø85*H99 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Adjustable



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-039	3W	Ø35*H46 MM	Ø30 MM
UPW-COBTH-040	5W	Ø50*H49 MM	Ø40 MM
UPW-COBTH-041	7W	Ø60*H63 MM	Ø50 MM
UPW-COBTH-042	10W	Ø70*H70 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		


Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-083	3W	Ø35*H45 MM	Ø28 MM
UPW-COBTH-084	5W	Ø45*H40 MM	Ø40 MM
UPW-COBTH-085	7W	Ø55*H58 MM	Ø50 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-421		7W	Ø40*H66 MM	Ø35 MM
UPW-COBTH-422		12W	Ø60*H85 MM	Ø55 MM
UPW-COBTH-423		18W	Ø75*H104 MM	Ø65 MM
Led's Brand		Bridgelux, CREE, Osram, Philips		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-424		3W	Ø48*H53 MM	Ø40 MM
UPW-COBTH-425		7W	Ø68*H80 MM	Ø55 MM
UPW-COBTH-426		10W	Ø68*H90 MM	Ø55 MM
Led's Brand		Bridgelux, CREE, Osram, Philips		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-566		20W	Ø98*H99 MM	Ø85 MM
UPW-COBTH-567		30W	Ø98*H118 MM	Ø85 MM
UPW-COBTH-568		40W	Ø98*H132 MM	Ø85 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-569		20W	Ø92*H122 MM	Ø85 MM
UPW-COBTH-570		30W	Ø92*H140 MM	Ø85 MM
UPW-COBTH-571		40W	Ø92*H155 MM	Ø85 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-572		20W	L93*L93*H124 MM	Ø85 MM
UPW-COBTH-573		30W	L93*L93*H142 MM	Ø85 MM
UPW-COBTH-574		40W	L93*L93*H158 MM	Ø85 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-575		12W	Ø100*H64 MM	Ø95 MM
UPW-COBTH-576		20W	Ø120*H68 MM	Ø115 MM
UPW-COBTH-577		30W	Ø165*H79 MM	Ø150 MM
UPW-COBTH-578		40W	Ø210*H86 MM	Ø200 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP65
Input Voltage		220V-240VAC	Beam Angle	50°, 60°, 80°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-126	10W	Ø90*H75 MM	Ø75 MM
UPW-COBTH-127	15W	Ø110*H86 MM	Ø96 MM
UPW-COBTH-128	20W	Ø135*H107 MM	Ø120 MM
UPW-COBTH-129	30W	Ø165*H135 MM	Ø150 MM
UPW-COBTH-130	40W	Ø180*H85 MM	Ø165 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-131	10W	Ø88*H90 MM	Ø80 MM
UPW-COBTH-132	15W	Ø110*H120 MM	Ø100 MM
UPW-COBTH-133	20W	Ø135*H140 MM	Ø120 MM
UPW-COBTH-134	30W	Ø160*H150 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-135	10W*2	L170*W88*H90 MM	L155*W80 MM
UPW-COBTH-136	15W*2	L210*W110*H120 MM	L195*W100 MM
UPW-COBTH-137	20W*2	L250*W140*H145 MM	L230*W125 MM
UPW-COBTH-138	30W*2	L303*W160*H150 MM	L280*W145 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-139	10W	Ø90*H105 MM	Ø75 MM
UPW-COBTH-140	15W	Ø90*H115 MM	Ø75 MM
UPW-COBTH-141	20W	Ø110*H132 MM	Ø93 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-142	20W	Ø140*H160 MM	Ø120 MM
UPW-COBTH-143	30W	Ø160*H155 MM	Ø145 MM
UPW-COBTH-144	40W	Ø180*H155 MM	Ø165 MM
UPW-COBTH-145	50W	Ø230*H180 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-146	10W-15W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-147	20W	Φ104*H73 MM	Ø95 MM
UPW-COBTH-148	25W-30W	Φ130*H85 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-149		10W-15W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-150		20W	Φ104*H73 MM	Ø95 MM
UPW-COBTH-151		25W-30W	Φ130*H85 MM	Ø120 MM
Led's Brand		Bridgelux, CREE, Osram, Philips		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-152		10W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-153		15W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-154		20W	Φ104*H73 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram, Philips		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-155	5W	Ø68*H50 MM	Ø55 MM
UPW-COBTH-156	7W	Ø68*H74 MM	Ø55 MM
UPW-COBTH-157	10W	Ø85*H80 MM	Ø70 MM
UPW-COBTH-158	15W	Ø108*H90 MM	Ø90 MM
UPW-COBTH-159	20W	Ø108*H110 MM	Ø90 MM
UPW-COBTH-160	30W	Ø138*H113 MM	Ø115 MM
UPW-COBTH-161	40W	Ø160*H135 MM	Ø135 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-162	5W	Ø100*H50 MM	Ø70-85 MM
UPW-COBTH-163	7W	Ø110*H50 MM	Ø85-95 MM
UPW-COBTH-164	9W	Ø120*H50 MM	Ø95-105 MM
UPW-COBTH-165	15W	Ø145*H57 MM	Ø115-130 MM
UPW-COBTH-166	18W	Ø180*H57MM	Ø150-170 MM
UPW-COBTH-167	24W	Ø190*H57 MM	Ø160-180 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-168	10W	Ø86*H65 MM	Ø75 MM
UPW-COBTH-169	15W	Ø109*H74 MM	Ø95 MM
UPW-COBTH-170	24W	Ø134*H95 MM	Ø120 MM
UPW-COBTH-171	30W	Ø157*H110 MM	Ø150 MM
UPW-COBTH-172	40W	Ø183*H124 MM	Ø175 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-173	7W	Ø88*H46 MM	Ø75 MM
UPW-COBTH-174	12W	Ø105*H60 MM	Ø90 MM
UPW-COBTH-175	15W	Ø130*H68 MM	Ø110 MM
UPW-COBTH-176	24W	Ø185*H93 MM	Ø165 MM
UPW-COBTH-177	30W	Ø220*H98 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-178	20-25W	Φ93*H105 MM	Ø80 MM
UPW-COBTH-179	30-35W	Φ105*H115 MM	Ø95 MM
UPW-COBTH-180	35-40W	Φ125*H130 MM	Ø110 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-181	12W	Φ84*47 MM	Ø75 MM
UPW-COBTH-182	15W	Φ104*50 MM	Ø95 MM
UPW-COBTH-183	24W	Φ128*58 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP44
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size
UPW-COBTH-406		10W	Ø90*H90 MM
UPW-COBTH-407		15W	Ø110*H120 MM
UPW-COBTH-408		25W	Ø130*H150 MM
UPW-COBTH-409		35W	Ø170*H180 MM
UPW-COBTH-410		45W	Ø195*H195 MM
Led's Brand		Bridgelux, CREE, Osram, Philips	
Warranty		5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage		220V-240VAC	Beam Angle Options 15° / 24° / 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K	

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-184		5W	Ø34*H58 MM	Ø30 MM
UPW-COBTH-185		5W	Ø39*H58 MM	Ø35 MM
UPW-COBTH-186		7W	Ø45*H80 MM	Ø40 MM
UPW-COBTH-187		7W	Ø50*H80 MM	Ø45 MM
UPW-COBTH-188		10W	Ø55*H78 MM	Ø50 MM
Led's Brand		Bridgelux, CREE, Osram, Philips		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20	
Input Voltage		220V-240VAC	Beam Angle	10°, 15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-080		7W	Ø35*H70 MM	Ø30 MM
UPW-COBTH-081		9W	Ø45*H72 MM	Ø40 MM
UPW-COBTH-082		12W	Ø55*H79 MM	Ø50 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	
UPW-COBTH-008		10W	Ø72*H75 MM	
UPW-COBTH-009		15W	Ø90*H90 MM	
UPW-COBTH-010		25W	Ø110*H110 MM	
UPW-COBTH-011		30W	Ø130*H130 MM	
UPW-COBTH-012		40W	Ø170*H170 MM	
UPW-COBTH-086		50W	Ø195*H190 MM	
Led's Brand		Bridgelux, CREE, Osram, Philips, etc		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	20°, 40°, 60°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-018	10W	Ø70*H55 MM	Ø60 MM
UPW-COBTH-019	15W	Ø95*H75 MM	Ø80 MM
UPW-COBTH-020	20W	Ø120*H95 MM	Ø100 MM
UPW-COBTH-021	30W	Ø140*H105 MM	Ø120 MM
UPW-COBTH-022	40W-50W	Ø167*H120 MM	Ø150 MM
UPW-COBTH-023	60W-80W	Ø197*H140 MM	Ø185 MM
UPW-COBTH-024	80W-100W	Ø236*H165 MM	Ø220 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 30° / 45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-219	12W-15W	Ø95*H72 MM	Ø75 MM
UPW-COBTH-220	18W-24W	Ø120*H80 MM	Ø90 MM
UPW-COBTH-221	24W-36W	Ø155*H96 MM	Ø120 MM
UPW-COBTH-222	30W-50W	Ø193*H110 MM	Ø150 MM
UPW-COBTH-223	60W-80W	Ø252*H122 MM	Ø210 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	24°, 45°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-033		5W-7W	Ø106*H40 MM	Ø80 MM
UPW-COBTH-034		7W-9W	Ø115*H43 MM	Ø90 MM
UPW-COBTH-035		9W-12W	Ø140*H48 MM	Ø110 MM
UPW-COBTH-036		15W-18W	Ø180*H55 MM	Ø145 MM
UPW-COBTH-037		18W-24W	Ø190*H55 MM	Ø160 MM
UPW-COBTH-038		30W-40W	Ø230*H60 MM	Ø190 MM
Led's Brand		Bridgelux, CREE, Osram, etc		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	120°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.		Power	Product Size	
UPW-COBTH-043		5W-7W	Ø65*H70 MM	
UPW-COBTH-045		10W-12W	Ø85*H70 MM	
Led's Brand		Bridgelux, CREE, Osram, Lumileds		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-224		12W	Φ86*H60 MM	Ø75 MM
UPW-COBTH-225		20W	Φ103*H72 MM	Ø90 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP65
Input Voltage		220V-240VAC	Beam Angle Options	120°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-319		12W	Φ85*H50 MM	Ø75 MM
UPW-COBTH-320		20W	Φ108*H64 MM	Ø95 MM
UPW-COBTH-321		30W	Φ130*H77 MM	Ø115 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°, 60°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-226	10W	Ø70*H124 MM	Ø55 MM
UPW-COBTH-227	12W-15W	Ø95*H125 MM	Ø75 MM
UPW-COBTH-228	15W-20W	Ø95*H149 MM	Ø75 MM
UPW-COBTH-229	35W	Ø120*H176 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-266	8W	L91*W53*H89 MM	Ø55 MM
UPW-COBTH-267	12W	L116*W71*H90 MM	Ø75 MM
UPW-COBTH-268	15W	L116*W71*H102 MM	Ø75 MM
UPW-COBTH-269	20W	L142*W92*H113 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



IP65




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-230	12W	Ø90*H45 MM	Ø75 MM
UPW-COBTH-231	18W	Ø110*H50 MM	Ø95 MM
UPW-COBTH-232	24W	Ø140*H55 MM	Ø120 MM
UPW-COBTH-233	35W	Ø165*H60 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-234	7W	Φ61*H47 MM	Ø55 MM
UPW-COBTH-235	12W	Φ83*H52 MM	Ø75 MM
UPW-COBTH-236	15W	Φ103*H57 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




IP65

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-237		8W-10W	Φ61*H76 MM	Ø55 MM
UPW-COBTH-238		12W-15W	Φ83*H81 MM	Ø75 MM
UPW-COBTH-239		24W-30W	Φ103*H98 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP65
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.		Power	Product Size
UPW-COBTH-240		15W	L80*W80*H83 MM
UPW-COBTH-241		20W	L100*W100*H96 MM
UPW-COBTH-242		30W	L130*W130*H121 MM
UPW-COBTH-243		40W	L150*W150*H136 MM
UPW-COBTH-244		50W	L170*W170*H156 MM
Led's Brand		Bridgelux, CREE, Osram, Lumileds	
Warranty		5 Years	Material
Driver		Li-Fud, Euchips, Eeglerise, etc	Protect Grade
Input Voltage		220V-240VAC	Beam Angle Options
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



IP65



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-245	15W	L80*W80*H66 MM	Ø75 MM
UPW-COBTH-246	24W	L100*W100*H73 MM	Ø95 MM
UPW-COBTH-247	36W	L130*W130*H82 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-248	15W	Ø80*H69 MM	Ø75 MM
UPW-COBTH-249	24W	Ø100*H73 MM	Ø95 MM
UPW-COBTH-250	36W	Ø130*H82 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65




IP65



Model N.O.	Power	Product Size
UPW-COBTH-251	15W	Ø80*H90 MM
UPW-COBTH-252	20W	Ø100*H100 MM
UPW-COBTH-253	30W	Ø130*H130 MM
UPW-COBTH-254	40W	Ø150*H140 MM
UPW-COBTH-255	50W	Ø170*H160 MM
UPW-COBTH-256	60W	Ø200*H190 MM
Led's Brand	Bridgelux, CREE, Osram, Lumileds	
Warranty	5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade IP65
Input Voltage	220V-240VAC	Beam Angle Options 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K	

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-322	10W	Ø88*H62 MM	Ø75 MM
UPW-COBTH-323	15W	Ø110*H74 MM	Ø95 MM
UPW-COBTH-324	20W	Ø142*H86 MM	Ø125 MM
UPW-COBTH-325	25W	Ø164*H98 MM	Ø145 MM
UPW-COBTH-326	30W	Ø191*H110 MM	Ø170 MM
UPW-COBTH-327	40W	Ø208*H122 MM	Ø185 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material Aluminum Alloy	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade IP54-IP65	IP54-IP65
Input Voltage	220V-240VAC	Beam Angle Options 20°, 40°, 60°	20°, 40°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-328	15W	Ø65*H65 MM	Ø55 MM
UPW-COBTH-329	20W	Ø87*H78 MM	Ø75 MM
UPW-COBTH-330	30W	Ø108*H93 MM	Ø95 MM
UPW-COBTH-331	40W	Ø139*H123 MM	Ø125 MM
UPW-COBTH-332	50W	Ø150*H143 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 38°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-263	12W	Φ88*H75 MM	Ø75 MM
UPW-COBTH-264	20W	Ø108*H93 MM	Ø95 MM
UPW-COBTH-265	30W	Φ118*H95 MM	Ø105 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size
UPW-COBTH-270		10W	Ø71*H75 MM
UPW-COBTH-271		15W	Ø91*H90 MM
UPW-COBTH-272		24W	Ø120*H110 MM
UPW-COBTH-273		30W	Ø143*H130 MM
Led's Brand		Bridgelux, CREE, Osram, Lumileds	
Warranty		5 Years	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options 15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



IP65

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-279		7W	L89*W51*H69 MM	Ø55 MM
UPW-COBTH-280		10W	L114*W71*H64 MM	Ø75 MM
UPW-COBTH-281		12W	L114*W71*H74 MM	Ø75 MM
UPW-COBTH-282		20W	L141*W92*H83 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65	
Input Voltage		220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-286	7W	Ø81*H69 MM	Ø55 MM
UPW-COBTH-287	10W	Ø101*H74 MM	Ø75 MM
UPW-COBTH-288	12W	Ø101*H89 MM	Ø75 MM
UPW-COBTH-289	20W	Ø130*H83 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-290	10W	Ø84*H71 MM	Ø75 MM
UPW-COBTH-291	15W	Ø104*H76 MM	Ø95 MM
UPW-COBTH-292	20W	Ø135*H81 MM	Ø125 MM
UPW-COBTH-293	24W	Ø160*H86 MM	Ø145 MM
UPW-COBTH-294	30W	Ø180*H92 MM	Ø165 MM
UPW-COBTH-295	40W	Ø202*H98 MM	Ø185 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-296	8W*2	L168*W88*H64 MM	L160*W75 MM
UPW-COBTH-297	12W*2	L168*W88*H74 MM	L160*W75 MM
UPW-COBTH-298	15W*2	L168*W88*H89 MM	L160*W75 MM
UPW-COBTH-299	20W*2	L216*W115*H83 MM	L203*W95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-333	10W	Ø90*H60 MM	Ø75 MM
UPW-COBTH-334	15W	Ø110*H76 MM	Ø95 MM
UPW-COBTH-335	20W	Ø135*H81 MM	Ø125 MM
UPW-COBTH-336	24W	Ø160*H86 MM	Ø145 MM
UPW-COBTH-337	30W	Ø180*H92 MM	Ø165 MM
UPW-COBTH-338	40W	Ø202*H98 MM	Ø185 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-467	10W	Ø68*H92 MM	Ø55 MM
UPW-COBTH-468	12W	Ø78*H100 MM	Ø65 MM
UPW-COBTH-469	20W	Ø88*H106 MM	Ø75 MM
UPW-COBTH-470	24W	Ø100*H112 MM	Ø85 MM
UPW-COBTH-471	30W	Ø110*H122 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-472	7W	Ø63*H69 MM	Ø55 MM
UPW-COBTH-473	8W	Ø85*H64 MM	Ø75 MM
UPW-COBTH-474	12W	Ø85*H74 MM	Ø75 MM
UPW-COBTH-475	15W	Ø85*H89 MM	Ø75 MM
UPW-COBTH-476	20W	Ø110*H83 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-339	20W	Ø85*H110 MM	Ø75 MM
UPW-COBTH-340	30W	Ø105*H125 MM	Ø95 MM
UPW-COBTH-341	50W	Ø135*H160 MM	Ø125 MM
UPW-COBTH-342	80W	Ø175*H190 MM	Ø165 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36° , 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-343	10W	Ø63*H92 MM	Ø55 MM
UPW-COBTH-344	15W	Ø83*H116 MM	Ø75 MM
UPW-COBTH-345	30W	Ø112*H148 MM	Ø95 MM
UPW-COBTH-346	50W	Ø146*H168 MM	Ø125 MM
UPW-COBTH-347	60W	Ø168*H188 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-435	5W	Ø42*H56 MM	Ø35 MM
UPW-COBTH-436	7W	Ø52*H58 MM	Ø45 MM
UPW-COBTH-437	9W	Ø62*H59 MM	Ø55 MM
UPW-COBTH-438	12W	Ø71*H62 MM	Ø65 MM
UPW-COBTH-439	15W	Ø80*H65 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size
UPW-COBTH-348		5W	Ø65*H70 MM
UPW-COBTH-349		7W	Ø75*H75 MM
UPW-COBTH-350		9W	Ø85*H80 MM
Led's Brand		Bridgelux, CREE, Osram, Lumileds	
Warranty		5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade IP20
Input Voltage		220V-240VAC	Beam Angle Options 15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-351	10W	Ø65*H69 MM	Ø55 MM
UPW-COBTH-352	15W	Ø85*H74 MM	Ø75 MM
UPW-COBTH-353	25W	Ø104*H90 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-354	5W	Ø65*H72 MM	Ø55 MM
UPW-COBTH-355	10W	Ø90*H92 MM	Ø75 MM
UPW-COBTH-356	20W	Ø106*H100 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-357	10W	Ø85*H48 MM	Ø75 MM
UPW-COBTH-358	15W	Ø109*H53 MM	Ø95 MM
UPW-COBTH-359	25W	Ø139*H60 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-446	7W	Ø65*H72 MM	Ø55 MM
UPW-COBTH-447	12W	Ø85*H79 MM	Ø75 MM
UPW-COBTH-448	20W	Ø105*H94 MM	Ø95 MM
UPW-COBTH-449	28W	Ø135*H107 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size
UPW-COBTH-440		12W	Ø75*H150 MM
UPW-COBTH-441		18W	Ø95*H150 MM
UPW-COBTH-442		25W	Ø115*H160 MM
Led's Brand		Bridgelux, CREE, Osram, Lumileds	
Warranty		5 Years	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		IP20
Input Voltage		220V-240VAC	Beam Angle Options 15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K	


Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-443		15W-18W	Ø90*H85 MM	Ø80 MM
UPW-COBTH-444		25W-30W	Ø110*H105 MM	Ø95 MM
UPW-COBTH-445		32W-35W	Ø135*H120 MM	Ø115 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-365	12W	Ø100*H70 MM	Ø90 MM
UPW-COBTH-366	18W	Ø120*H80 MM	Ø110 MM
UPW-COBTH-367	24W	Ø150*H90 MM	Ø140 MM
UPW-COBTH-368	36W	Ø175*H100 MM	Ø165 MM
UPW-COBTH-369	55W	Ø230*H110 MM	Ø220 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-370	10W	Ø110*H46 MM	Ø100 MM
UPW-COBTH-371	15W	Ø130*H46 MM	Ø120 MM
UPW-COBTH-372	20W	Ø160*H48 MM	Ø150 MM
UPW-COBTH-373	25W	Ø180*H53 MM	Ø170 MM
UPW-COBTH-374	30W	Ø200*H53 MM	Ø190 MM
UPW-COBTH-375	40W	Ø230*H58 MM	Ø220 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-376	2W	L45*W45*H50 MM	L37*W37 MM
UPW-COBTH-377	4W	L75*W45*H50 MM	L67*W37 MM
UPW-COBTH-378	10W	L147*W45*H50 MM	L139*W37 MM
UPW-COBTH-379	20W	L279*W45*H50 MM	L272*W37 MM
UPW-COBTH-380	30W	L411*W45*H50 MM	L403*W37 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 30°, 45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-381	6W	L102*W41*H54 MM	L60*W35 MM
UPW-COBTH-382	10W	L162*W41*H54 MM	L120*W35 MM
UPW-COBTH-383	20W	L310*W41*H54 MM	L270*W35 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°, 45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-384	8W	Ø61*H82 MM	Ø55 MM
UPW-COBTH-385	10W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-386	12W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-387	20W	Ø93*H98 MM	Ø85 MM
UPW-COBTH-388	24W	Ø103*H98 MM	Ø95 MM
UPW-COBTH-389	30W	Ø135*H117 MM	Ø120 MM
UPW-COBTH-390	40W	Ø155*H127 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-391	8W	Ø61*H82 MM	Ø55 MM
UPW-COBTH-392	10W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-393	12W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-394	20W	Ø93*H98 MM	Ø85 MM
UPW-COBTH-395	24W	Ø103*H98 MM	Ø95 MM
UPW-COBTH-396	30W	Ø135*H117 MM	Ø120 MM
UPW-COBTH-397	40W	Ø155*H127 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-398	8W	Ø66*H87 MM	Ø55 MM
UPW-COBTH-399	10W	Ø76*H82 MM	Ø65 MM
UPW-COBTH-400	12W	Ø86*H81 MM	Ø75 MM
UPW-COBTH-401	20W	Ø96*H99 MM	Ø85 MM
UPW-COBTH-402	24W	Ø106*H100 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-403	8W	Ø80*H82 MM	Ø55 MM
UPW-COBTH-404	10W	Ø90*H81 MM	Ø65 MM
UPW-COBTH-405	12W	Ø100*H80 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-598	8W	Ø62*H86 MM	Ø55 MM
UPW-COBTH-599	10W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-600	12W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-601	20W	Ø92*H98 MM	Ø85 MM
UPW-COBTH-602	24W	Ø102*H99 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-603	2*8W	L120*W62*H82 MM	L115*W55 MM
UPW-COBTH-604	2*10W	L144*W74*H81 MM	L135*W65 MM
UPW-COBTH-605	2*12W	L164*W84*H80 MM	L155*W75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-606	12W	L92*W92*H90 MM	L80*W80 MM
UPW-COBTH-607	2*12W	L169*W92*H90 MM	L160*W80 MM
UPW-COBTH-608	3*12W	L246*W92*H90 MM	L235*W80 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-609	12W	L120*W120*H90 MM	L80*W80 MM
UPW-COBTH-610	2*12W	L197*W120*H90 MM	L160*W80 MM
UPW-COBTH-611	3*12W	L273*W120*H90 MM	L235*W80 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-612	10W	Ø95*H45 MM	Ø75 MM
UPW-COBTH-613	15W	Ø108*H49 MM	Ø95 MM
UPW-COBTH-614	20W	Ø138*H54 MM	Ø120 MM
UPW-COBTH-615	24W	Ø160*H57 MM	Ø140 MM
UPW-COBTH-616	30W	Ø182*H60 MM	Ø160 MM
UPW-COBTH-617	36W	Ø225*H62 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-618	5W	Ø62*H86 MM	Ø55 MM
UPW-COBTH-619	7W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-620	10W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-621	12W	Ø92*H98 MM	Ø85 MM
UPW-COBTH-622	15W	Ø102*H99 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-623		10W	Ø65*H85 MM	Ø55 MM
UPW-COBTH-624		15W	Ø87*H93 MM	Ø75 MM
UPW-COBTH-625		25W	Ø108*115 MM	Ø95 MM
UPW-COBTH-626		35W	Ø139*H130 MM	Ø125 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle	15°, 24°, 38°, 60°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-627		8W	Ø65*H85 MM	Ø75 MM
UPW-COBTH-628		12W	Ø87*H93 MM	Ø90 MM
UPW-COBTH-629		15W	Ø108*115 MM	Ø100 MM
UPW-COBTH-630		18W	Ø139*H130 MM	Ø115 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-631	10W	Ø82*H53 MM	Ø75 MM
UPW-COBTH-632	12W	Ø96*H58 MM	Ø90 MM
UPW-COBTH-633	15W	Ø106*H63 MM	Ø100 MM
UPW-COBTH-634	20W	Ø123*H68 MM	Ø115 MM
UPW-COBTH-635	30W	Ø155*H76 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-636	10W	Ø82*H53 MM	Ø75 MM
UPW-COBTH-637	12W	Ø96*H58 MM	Ø90 MM
UPW-COBTH-638	15W	Ø106*H63 MM	Ø100 MM
UPW-COBTH-639	20W	Ø123*H68 MM	Ø115 MM
UPW-COBTH-640	30W	Ø155*H76 MM	Ø145 MM
UPW-COBTH-641	40W	Ø185*H83 MM	Ø170 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-642	10W	Ø100*H75 MM	Ø90 MM
UPW-COBTH-643	20W	Ø140*H90 MM	Ø130 MM
UPW-COBTH-644	30W	Ø185*H112 MM	Ø170 MM
UPW-COBTH-645	40W	Ø230*H128 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-646	15W	Ø115*H78 MM	Ø95 MM
UPW-COBTH-647	20W	Ø135*H80 MM	Ø120 MM
UPW-COBTH-648	30W	Ø170*H95 MM	Ø150 MM
UPW-COBTH-649	40W	Ø195*H105 MM	Ø170 MM
UPW-COBTH-650	50W	Ø220*H130 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-579	5W	L65*W50*H65 MM	L45*W40 MM
UPW-COBTH-580	10W	L98*W50*H65 MM	L85*W40 MM
UPW-COBTH-581	15W	L138*W50*H65 MM	L124*W40 MM
UPW-COBTH-582	20W	L178*W50*H65 MM	L165*W40 MM
UPW-COBTH-583	25W	L213*W50*H65 MM	L204*W40 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-584	7W	Ø42*H78 MM	Ø35 MM
UPW-COBTH-585	10W	Ø52*H84 MM	Ø45 MM
UPW-COBTH-586	15W	Ø62*H87 MM	Ø55 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-587	7W	Ø60*H74 MM	Ø40 MM
UPW-COBTH-588	10W	Ø70*H79 MM	Ø50 MM
UPW-COBTH-589	15W	Ø80*H80 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-590	3W	Ø38*H38 MM	Ø30 MM
UPW-COBTH-591	5W	Ø45*H50 MM	Ø40 MM
UPW-COBTH-592	7W	Ø57*H57 MM	Ø50 MM
UPW-COBTH-593	9W	Ø62*H67 MM	Ø55 MM
UPW-COBTH-594	12W	Ø68*H76 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-595		5W	Ø40*H65 MM	Ø35 MM
UPW-COBTH-596		7W	Ø50*H66 MM	Ø45 MM
UPW-COBTH-597		9W	Ø60*H73 MM	Ø55 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-430		8W	Ø66*H81 MM	Ø55 MM
UPW-COBTH-431		10W	Ø76*H82 MM	Ø65 MM
UPW-COBTH-432		12W	Ø86*H81 MM	Ø75 MM
UPW-COBTH-433		20W	Ø96*H96 MM	Ø85 MM
UPW-COBTH-434		24W	Ø106*H105 MM	Ø95 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-657	5W	Ø51*H65 MM	Ø45 MM
UPW-COBTH-658	8W	Ø61*H75 MM	Ø55 MM
UPW-COBTH-659	10W	Ø72*H80 MM	Ø65 MM
UPW-COBTH-660	12W	Ø84*H80 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-661	5W	Ø51*H65 MM	Ø45 MM
UPW-COBTH-662	8W	Ø61*H75 MM	Ø55 MM
UPW-COBTH-663	10W	Ø72*H80 MM	Ø65 MM
UPW-COBTH-664	12W	Ø84*H80 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-665	15W	Ø88*H65 MM	Ø80 MM
UPW-COBTH-666	20W	Ø110*H72 MM	Ø95 MM
UPW-COBTH-667	30W	Ø140*H82 MM	Ø120 MM
UPW-COBTH-668	40W	Ø180*H93 MM	Ø170 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle	36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-669	10W	Ø68*H74 MM	Ø60 MM
UPW-COBTH-670	18W	Ø84*H98 MM	Ø75 MM
UPW-COBTH-671	25W	Ø105*H122 MM	Ø95 MM
UPW-COBTH-672	40W	Ø132*H138 MM	Ø120 MM
UPW-COBTH-673	50W	Ø162*H164 MM	Ø140 MM
UPW-COBTH-674	60W	Ø182*H198 MM	Ø160 MM
UPW-COBTH-675	80W	Ø202*H218 MM	Ø180 MM
UPW-COBTH-676	120W	Ø240*H252 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP68
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-677	10W	Ø68*H74 MM	Ø60 MM
UPW-COBTH-678	18W	Ø84*H98 MM	Ø75 MM
UPW-COBTH-679	25W	Ø105*H122 MM	Ø95 MM
UPW-COBTH-680	40W	Ø132*H138 MM	Ø120 MM
UPW-COBTH-681	50W	Ø162*H164 MM	Ø140 MM
UPW-COBTH-682	60W	Ø182*H198 MM	Ø160 MM
UPW-COBTH-683	80W	Ø202*H218 MM	Ø180 MM
UPW-COBTH-684	120W	Ø240*H252 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP68
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-685	15W	L110*W110*H59 MM	L90*W90 MM
UPW-COBTH-686	20W	L127*W127*H70 MM	L110*W110 MM
UPW-COBTH-687	30W	L165*W165*H80 MM	L145*W145 MM
UPW-COBTH-688	45W	L220*W220*90 MM	L200*W200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-689	15W	Ø110*59 MM	Ø90 MM
UPW-COBTH-690	20W	Ø127*H70 MM	Ø110 MM
UPW-COBTH-691	30W	Ø165*H80 MM	Ø145 MM
UPW-COBTH-692	45W	Ø220*H90 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-693	7W	Ø64*37 MM	Ø55 MM
UPW-COBTH-694	10W	Ø85*H46 MM	Ø75 MM
UPW-COBTH-695	15W	Ø105*H56 MM	Ø95 MM
UPW-COBTH-696	25W	Ø135*H66 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-697		9W	Φ105*H45 MM	Ø95 MM
UPW-COBTH-698		15W	Φ132*H50 MM	Ø120 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-699		15W	Φ105*H185 MM	Ø95 MM
UPW-COBTH-700		25W	Φ132*H93 MM	Ø120 MM
UPW-COBTH-701		35W	Ø155*H110 MM	Ø140 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°, 60°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.		Power	Product Size
UPW-COBTH-702		9W	Φ95*H78 MM
UPW-COBTH-703		15W	Φ118*H85 MM
Led's Brand		Bridgelux, CREE, Osram, Lumileds	
Warranty		5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade IP20
Input Voltage		220V-240VAC	Beam Angle Options 24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



Model N.O.		Power	Product Size
UPW-COBTH-704		15W	Φ95*H115 MM
UPW-COBTH-705		25W	Φ118*H121 MM
UPW-COBTH-706		35W	Φ145*H140 MM
Led's Brand		Bridgelux, CREE, Osram, Lumileds	
Warranty		5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade IP20
Input Voltage		220V-240VAC	Beam Angle Options 15°, 24°, 36°, 60°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-707		9W	Φ105*H45 MM	Ø95 MM
UPW-COBTH-708		15W	Φ132*H50 MM	Ø120 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.		Power	Product Size	Cut-out Size
UPW-COBTH-709		15W	Φ105*H185 MM	Ø95 MM
UPW-COBTH-710		25W	Φ132*H93 MM	Ø120 MM
UPW-COBTH-711		35W	Ø155*H110 MM	Ø140 MM
Led's Brand		Bridgelux, CREE, Osram		
Warranty		5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc		Protect Grade	IP20
Input Voltage		220V-240VAC	Beam Angle Options	15°, 24°, 36°, 60°
Led's Color Options		2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-712	10W	Ø85*H66 MM	Ø75 MM
UPW-COBTH-713	15W	Ø150*H75 MM	Ø95 MM
UPW-COBTH-714	20W	Ø131*H85 MM	Ø120 MM
UPW-COBTH-715	30W	Ø170*H105 MM	Ø150 MM
UPW-COBTH-716	40W	Ø192*H117 MM	Ø170 MM
UPW-COBTH-717	50W	Ø222*H134 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 38°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-718	8W	Ø65*H38 MM	Ø50 MM
UPW-COBTH-719	12W	Ø80*H38 MM	Ø75 MM
UPW-COBTH-720	18W	Ø106*H38 MM	Ø95 MM
UPW-COBTH-721	25W	Ø120*H39 MM	Ø110 MM
UPW-COBTH-722	30W	Ø150*H40 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		