

Ms Kelly Ho

Tel: 0086 - 0760 - 8759 8298

WeChat: Upwardlighting

Website: <https://upwardlighting.com>

Mobile: 0086 - 135 2827 1092

WhatsApp: 0086 135 2827 1092

E-mail: sales2@upwardlighting.com

Mr Michael Liao

Tel: 0086 - 0760 - 8759 8298

Mobile: 0086 - 138 2277 0715


Website: <https://upwardlighting.com>

WhatsApp: 0086 - 138 2277 0715




WeChat: Upwardlights

E-mail: michael@upwardlighting.com

ADD: FLOOR 5, N.O. 67 OF JINGANG ROAD, WEST DISTRICT OF ZHONGSHAN CITY, 528401, GUANGDONG PROVINCE, CHINA



ZHONGSHAN UPWARD LIGHTING CO., LTD



Model: UPW-DXD-001

Product Size: L1200*W70*H80 MM
 Power: 48W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-002

Product Size: L1200*W50*H70 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-003

Product Size: L1200*W102*H80 MM
 Power: 65W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-004

Product Size: L1200*W200*H60 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-005

Product Size: L1200*W72*H60 MM
 Power: 48W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-006

Product Size: L1200*W40*H86 MM
 Power: 40W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-007

Product Size: L1200*W72*H90 MM
 Power: 40W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-008

Product Size: L1200*W50*H70 MM
 Power: 30W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-009

Product Size: L1200*W45*H78 MM
 Power: 30W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-010

Product Size: L1000*W50*H40 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-011

Product Size: L1200*W50*H40 MM
 Power: 24W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-012

Product Size: L1000*W100*H75 MM
 Power: 54W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-019

Product Size: L1200*W66*H66 MM
 Power: 42W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-020

Product Size: L1200*W100*H40 MM
 Power: 40W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-021

Product Size: L1000*W70*H35 MM
 Power: 40W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-013

Product Size: L1200*W50*H50 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-014

Product Size: L1200*W40*H75 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-015

Product Size: L1200*W50*H70 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-022

Product Size: L1200*W42*H50 MM
 Power: 32W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-023

Product Size: L1200*W33*H60 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-024

Product Size: L1000*W52*H90 MM
 Power: 40W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-016

Product Size: L1200*W35*H73 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-017

Product Size: L1200*W55*H75 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-018

Product Size: L1200*W75*H55 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-025

Product Size: L1200*W80*H70 MM
 Power: 40W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K





Model: UPW-DXD-026

Product Size: L1200*W70*H80 MM
 Power: 36W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K




Model: UPW-DXD-027

Product Size: L1000*W38*H80 MM
 Power: 36W-48W
 P.G.: IP22
 CRI: RA80
 Warranty: 5 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Length can be Customized
 Material: Aluminium Alloy + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-028

Product Size: Ø300/400/500/600/800/1000/1200*W100*H70 MM
 Power: 24W,30W,36W,48W,72W,96W,128W
 P.G.: IP22
 CRI: RA80
 Warranty: 3 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Size can be Customized
 Material: Iron + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-029

Product Size: Ø300/400/500/600/800/1000/1200*W100*H70 MM
 Power: 24W,30W,36W,48W,72W,96W,128W
 P.G.: IP22
 CRI: RA80
 Warranty: 3 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Size can be Customized
 Material: Iron + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-030

Product Size: Ø300/400/450/500/600/800/1000/1200*W100*H70 MM
 Power: 24W,30W,36W,48W,72W,96W,128W
 P.G.: IP22
 CRI: RA80
 Warranty: 3 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Size can be Customized
 Material: Iron + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-031

Product Size: Ø300/400/450/500/600/800/1000/1200*W100*H70 MM
 Power: 24W,30W,36W,48W,72W,96W,128W
 P.G.: IP22
 CRI: RA80
 Warranty: 3 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Size can be Customized
 Material: Iron + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-032

Product Size: Ø300/400/450/500/600/800/1000/1200*W100*H70 MM
 Power: 24W,30W,36W,48W,72W,96W,128W
 P.G.: IP22
 CRI: RA80
 Warranty: 3 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Size can be Customized
 Material: Iron + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K



Model: UPW-DXD-033

Product Size: Ø300/400/450/500/600/800/1000/1200*W100*H70 MM
 Power: 24W,30W,36W,48W,72W,96W,128W
 P.G.: IP22
 CRI: RA80
 Warranty: 3 Years
 Driver Brand: Li-Fud
 Input Voltage: 220-240VAC
 Light Size can be Customized
 Material: Iron + PC
 Led's Color Options: 2700K, 3000K, 4000K, 5500K, 6500K