

Ms Kelly Ho

Tel: 0086 - 0760 - 8759 8298

WeChat: Upwardlighting

Website: <https://upwardlighting.com>

Mobile: 0086 - 135 2827 1092

WhatsApp: 0086 135 2827 1092

E-mail: sales2@upwardlighting.com

Mr Michael Liao

Tel: 0086 - 0760 - 8759 8298

Mobile: 0086 - 138 2277 0715

Website: <https://upwardlighting.com>

WhatsApp: 0086 - 138 2277 0715

WeChat: Upwardlights


E-mail: michael@upwardlighting.com




IP65

ADD: FLOOR 5, N.O. 67 OF JINGANG ROAD, WEST DISTRICT OF ZHONGSHAN CITY, 528401, GUANGDONG PROVINCE, CHINA

ZHONGSHAN UPWARD LIGHTING CO., LTD



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-257	12W	Ø85*H54 MM	Ø75 MM
UPW-COBTH-258	18W	Ø105*H65 MM	Ø95 MM
UPW-COBTH-259	25W-30W	Ø131*H75 MM	Ø115 MM
UPW-COBTH-260	30W-35W	Ø150*H80 MM	Ø135 MM
UPW-COBTH-261	40W-50W	Ø191*H95 MM	Ø175 MM
UPW-COBTH-262	50W-60W	Ø215*H105 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54-IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-077	7W	Ø65*H60 MM	Ø55 MM
UPW-COBTH-078	12W	Ø85*H77 MM	Ø75 MM
UPW-COBTH-079	20W	Ø110*H98 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-210	12W	Ø80*H72 MM	Ø75 MM
UPW-COBTH-211	15W	Ø80*H85 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-212	8W	Φ62*H60 MM	Ø55 MM
UPW-COBTH-213	12W	Φ80*H72 MM	Ø75 MM
UPW-COBTH-214	15W	Φ80*H85 MM	Ø75 MM
UPW-COBTH-215	24W	Φ105*H85 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-216	2*12W	L170*W88*H87 MM	L160*W80 MM
UPW-COBTH-217	2*15W	L170*W88*H97 MM	L160*W80 MM
UPW-COBTH-218	2*20W	L214*W110*H112 MM	L200*W100 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		





Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-450	12W	Ø88*H102 MM	Ø80 MM	15° / 24° / 36° / 55°
UPW-COBTH-451	20W	Ø115*H125 MM	Ø100 MM	15° / 24° / 36° / 55°
UPW-COBTH-452	30W	Ø135*H155 MM	Ø120 MM	15° / 24° / 36° / 55°
UPW-COBTH-453	50W	Ø165*H185 MM	Ø150 MM	15° / 24° / 36°
UPW-COBTH-454	60W	Ø190*H215 MM	Ø180 MM	20° / 40° / 60°
UPW-COBTH-455	80W	Ø215*H240 MM	Ø200 MM	20° / 40° / 60°
UPW-COBTH-456	120W	Ø240*H270 MM	Ø230 MM	20° / 40° / 60°

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-312	8W	Ø65*H85 MM	Ø55 MM
UPW-COBTH-313	12W	Ø85*H85 MM	Ø75 MM
UPW-COBTH-314	15W	Ø85*H95 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-001	7W	2.5"	Ø95*H102 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-002	10W-15W	3.5"	Ø115*H116 MM	Ø95 MM	24° / 40° / 60°
UPW-COBTH-003	20W-25W	4"	Ø142*H131 MM	Ø125 MM	24° / 40° / 60°
UPW-COBTH-004	30W-40W	5"	Ø160*H133 MM	Ø140 MM	24° / 40° / 60°
UPW-COBTH-005	45W-50W	6"	Ø185*H136 MM	Ø160 MM	24° / 40° / 60°
UPW-COBTH-006	60W-70W	8"	Ø230*H155 MM	Ø200 MM	24° / 60°
UPW-COBTH-007	70W-80W	8"	Ø230*H176 MM	Ø200 MM	24° / 60°

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-315	8W	Ø65*H85 MM	Ø55 MM
UPW-COBTH-316	12W	Ø85*H85 MM	Ø75 MM
UPW-COBTH-317	15W	Ø85*H95 MM	Ø75 MM
UPW-COBTH-318	20W	Ø110*H110 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-046	5W	2"	Ø65*H60 MM	Ø55 MM	18°
UPW-COBTH-047	7W-12W	2.5"	Ø85*H70 MM	Ø72 MM	28° / 36°
UPW-COBTH-048	18W-24W	3.5"	Ø105*H100 MM	Ø92 MM	24° / 38° / 45°



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-283	12W	L88*W88*H87 MM	L80*W80 MM
UPW-COBTH-284	15W	L88*W88*H97 MM	L80*W80 MM
UPW-COBTH-285	20W	L110*W110*H112 MM	L100*W100 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-308	8W	Φ80*H85 MM	Ø55 MM
UPW-COBTH-309	12W	Ø110*H85 MM	Ø75 MM
UPW-COBTH-310	15W	Ø110*H95 MM	Ø75 MM
UPW-COBTH-311	20W	Ø140*H110 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Inches	Product Size	Reflector's Angle
UPW-COBTH-013	12W-30W	5"	Ø150*H180 MM	15° / 24° / 36°



IP65



Model N.O.	Power	Product Size	
UPW-COBTH-484	12-15W	Ø72*H90 MM	
UPW-COBTH-485	20W	Ø92*H100 MM	
UPW-COBTH-486	25W	Ø112*H110 MM	
UPW-COBTH-487	30W	Ø138*H117 MM	
UPW-COBTH-488	40W	Ø158*H138 MM	
UPW-COBTH-489	50-60W	Ø178*H160 MM	
UPW-COBTH-490	80-100W	Ø195*H180 MM	
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle Options	24° / 38° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	
UPW-COBTH-491	12-15W	Ø72*H90 MM	
UPW-COBTH-492	20W	Ø92*H100 MM	
UPW-COBTH-493	25W	Ø112*H110 MM	
UPW-COBTH-494	30W	Ø138*H117 MM	
UPW-COBTH-495	40W	Ø158*H138 MM	
UPW-COBTH-496	50-60W	Ø178*H160 MM	
UPW-COBTH-497	80-100W	Ø195*H180 MM	
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24° / 38° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-087	20W	2.5"	Ø90*H110 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-088	30W	3.5"	Ø115*H127 MM	Ø95 MM	15° / 24° / 36°
UPW-COBTH-089	40W	4"	Ø140*H152 MM	Ø120 MM	15° / 24° / 36°
UPW-COBTH-090	50W	5"	Ø160*H168 MM	Ø140 MM	15° / 24° / 36°


Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-274	15W	L90*W90*H60 MM	L75*W75 MM
UPW-COBTH-275	20W	L110*W110*H70 MM	L95*W95 MM
UPW-COBTH-276	30W	L145*W145*H75 MM	L125*W125 MM
UPW-COBTH-277	40W	L165*W165*H85 MM	L145*W145 MM
UPW-COBTH-278	50W	L168*W185*H92 MM	L165*W165 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



White+Black


White+Silver

White




The light source is 55MM deep from the lamp mouth
The source of light hidden deeper will not be dazzling
The better to protect people's eyes

The normal line of sight of the human eye is 30 degrees above to 60 degrees below. In this range, dazzling light appears, which is glare. And the light emitted by our lamps is controlled within a cut-off angle of less than 30 degrees, so glare is controlled well.



The Angle is accurate, the irradiated object will be more layered
Choose different Angle, will get different irradiation effect



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-060	5W	2"	Ø61*H50 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-061	7W	2.5"	Ø81*H50 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-062	12W	3.5"	Ø101*H64 MM	Ø95 MM	15° / 24° / 36°



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-094	7W	2"	Ø63*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-095	10W	3"	Ø85*H70 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-096	12W	3"	Ø85*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-097	15W	3"	Ø85*H100 MM	Ø95 MM	15° / 24° / 36°
UPW-COBTH-098	20W	3.5"	Ø110*H87 MM	Ø95 MM	15° / 24° / 36°

Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-099	7W	2"	Ø63*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-100	10W	3"	Ø85*H70 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-101	12W	3"	Ø85*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-102	15W	3"	Ø85*H100 MM	Ø95 MM	15° / 24° / 36°
UPW-COBTH-103	20W	3.5"	Ø110*H87 MM	Ø95 MM	15° / 24° / 36°






WW + CW

RGB + WW + CW

tuya[®] Wi-Fi

zigbee

Bluetooth[™]



Model N.O.	Power	Inches	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-091	7W	2.5"	Ø83*H50 MM	Ø75 MM	15° / 24° / 36° / 60°
UPW-COBTH-092	12W	3.5"	Ø103*H63 MM	Ø95 MM	15° / 24° / 36° / 60°
UPW-COBTH-093	18W	4"	Ø123*H74 MM	Ø115 MM	15° / 24° / 36° / 60°



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-204	7W	Φ78*H61 MM	Φ55 MM
UPW-COBTH-205	12W	Φ98*H72 MM	Φ75 MM
UPW-COBTH-206	15W	Φ98*H85 MM	Φ75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-207	7W	Φ62*H60 MM	Φ55 MM
UPW-COBTH-208	12W	Φ84*H71 MM	Φ75 MM
UPW-COBTH-209	15W	Φ84*H85 MM	Φ75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Trimless

Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-104	7W	Ø81*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-105	10W	Ø101*H75 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-106	12W	Ø101*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-107	15W	Ø101*H100 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-108	20W	Ø130*H87 MM	Ø95 MM	15° / 24° / 36°

Trimless

Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-109	7W	L89*W51*H70 MM	Ø55 MM	15° / 24° / 36°
UPW-COBTH-110	10W	L114*W71*H70 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-111	12W	L114*W71*H85 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-112	15W	L114*W71*H110 MM	Ø75 MM	15° / 24° / 36°
UPW-COBTH-113	20W	L141*W92*H87 MM	Ø95 MM	15° / 24° / 36°



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-200	12W	Φ82*72 MM	Ø75 MM
UPW-COBTH-201	15W	Φ82*85 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-202	12W	Φ82*72 MM	Ø75 MM
UPW-COBTH-203	15W	Φ82*85 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-114	3W	Ø41*H47 MM	Ø35 MM
UPW-COBTH-115	7W	Ø63*H48 MM	Ø55 MM
UPW-COBTH-116	12W	Ø84*H60 MM	Ø75 MM
UPW-COBTH-117	18W	Ø105*H70 MM	Ø90 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-360	20W	Ø100*H130 MM	Ø90 MM
UPW-COBTH-361	35W	Ø130*H150 MM	Ø120 MM
UPW-COBTH-362	45W	Ø160*H170 MM	Ø150 MM
UPW-COBTH-363	65W	Ø190*H190 MM	Ø180 MM
UPW-COBTH-364	85W	Ø220*H210 MM	Ø210 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-118	10W	Ø63*H53 MM	Ø55 MM
UPW-COBTH-119	15W	Ø83*H60 MM	Ø75 MM
UPW-COBTH-120	20W	Ø105*H66 MM	Ø95 MM
UPW-COBTH-121	30W	Ø128*H78 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-122	12W	Ø90*H80 MM	Ø75 MM
UPW-COBTH-123	20W	Ø110*H110 MM	Ø95 MM
UPW-COBTH-124	30W	Ø140*H132 MM	Ø120 MM
UPW-COBTH-125	40W	Ø160*H132 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-189	5-7W	Ø75*H40 MM	Ø55-65 MM
UPW-COBTH-190	9W	Ø100*H43 MM	Ø75-90 MM
UPW-COBTH-191	12W	Ø120*H43 MM	Ø90-110 MM
UPW-COBTH-192	15W	Ø150*H45 MM	Ø120-140 MM
UPW-COBTH-193	18W	Ø175*H50 MM	Ø140-165 MM
UPW-COBTH-194	24W	Ø197*H50 MM	Ø160-185 MM
UPW-COBTH-195	36W	Ø230*H55 MM	Ø190-220 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-196	7W	Φ62*H60 MM	Ø55 MM
UPW-COBTH-197	12W-15W	Φ80*H85 MM	Ø75 MM
UPW-COBTH-198	24W	Φ105*H85 MM	Ø95 MM
UPW-COBTH-199	40W	Φ140*H110 MM	Ø130 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-498	60W	Ø190*H150 MM	Ø175 MM
UPW-COBTH-499	80W	Ø210*H170 MM	Ø195 MM
UPW-COBTH-500	100W	Ø230*H190 MM	Ø215 MM
UPW-COBTH-501	150W	Ø260*H235 MM	Ø235 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	38° / 60° / 90°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	
UPW-COBTH-502	60W	Ø157*H150 MM	
UPW-COBTH-503	80W	Ø177*H170 MM	
UPW-COBTH-504	100W	Ø197*H190 MM	
UPW-COBTH-505	150W	Ø220*H235 MM	
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	38° / 60° / 90°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-506	15W	Ø85*H65 MM	Ø50-75 MM
UPW-COBTH-507	25W	Ø100*H75 MM	Ø65-85 MM
UPW-COBTH-508	40W	Ø130*H105 MM	Ø75-120 MM
UPW-COBTH-509	60W	Ø155*H120 MM	Ø95-145 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 38°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-477	12W	Ø85*H50 MM	Ø75 MM
UPW-COBTH-478	15W	Ø105*H60 MM	Ø95 MM
UPW-COBTH-479	20W	Ø130*H70 MM	Ø115 MM
UPW-COBTH-480	30W	Ø155*H85 MM	Ø140 MM
UPW-COBTH-481	40W	Ø180*H90 MM	Ø160 MM
UPW-COBTH-482	50W	Ø225*H105 MM	Ø200 MM
UPW-COBTH-483	60W	Ø225*H105 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24° / 38° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-510	5W	Ø70*H60 MM	Ø65 MM
UPW-COBTH-511	9W	Ø86*H80 MM	Ø75 MM
UPW-COBTH-512	15W	Ø107*H80 MM	Ø95 MM
UPW-COBTH-513	20W	Ø135*H110 MM	Ø120 MM
UPW-COBTH-514	30W	Ø160*H115 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-515	5W	Ø62*H60 MM	Ø62 MM
UPW-COBTH-516	9W	Ø75*H85 MM	Ø75 MM
UPW-COBTH-517	15W	Ø95*H87 MM	Ø95 MM
UPW-COBTH-518	20W	Ø120*H105 MM	Ø120 MM
UPW-COBTH-519	30W	Ø140*H115 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-520	10W	Ø77*H102 MM	Ø67 MM
UPW-COBTH-521	15W	Ø87*H103 MM	Ø78 MM
UPW-COBTH-522	20W	Ø110*H130 MM	Ø103 MM
UPW-COBTH-523	30W	Ø135*H160 MM	Ø128 MM
UPW-COBTH-524	40W	Ø178*H180 MM	Ø170 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	30°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-525	10W	Ø105*H135 MM	Ø90 MM
UPW-COBTH-526	20W	Ø135*H150 MM	Ø110 MM
UPW-COBTH-527	25W	Ø165*H170 MM	Ø135 MM
UPW-COBTH-528	40W	Ø195*H200 MM	Ø165 MM
UPW-COBTH-529	80W	Ø230*H220 MM	Ø190 MM
UPW-COBTH-530	100W	Ø280*H260 MM	Ø250 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 30°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-531	10W	Ø110*H100 MM	Ø90 MM
UPW-COBTH-532	20W	Ø130*H120 MM	Ø110 MM
UPW-COBTH-533	30W	Ø160*H130 MM	Ø130 MM
UPW-COBTH-534	40W	Ø190*H150 MM	Ø160 MM
UPW-COBTH-535	80W	Ø230*H160 MM	Ø190 MM
UPW-COBTH-536	100W	Ø230*H160 MM	Ø190 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 45° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-537	10W	L110*W110*H100 MM	L80*W80 MM
UPW-COBTH-538	15W	L135*W135*H120 MM	L100*W100 MM
UPW-COBTH-539	30W	L180*W180*H130 MM	L135*W135 MM
UPW-COBTH-540	40W	L200*W200*H150 MM	L175*W175 MM
UPW-COBTH-541	80W	L240*W240*H160 MM	L220*W220 MM
UPW-COBTH-542	80W	L280*W280*H160 MM	L220*W220 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 45° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-543	30W	Ø130*H100 MM	Ø100 MM
UPW-COBTH-544	40W	Ø160*H118 MM	Ø135 MM
UPW-COBTH-545	50W	Ø190*H120 MM	Ø170 MM
UPW-COBTH-546	80W	Ø230*H140 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-547	10W	Ø160*H80 MM	Ø130 MM
UPW-COBTH-548	20W	Ø190*H90 MM	Ø160 MM
UPW-COBTH-549	30W	Ø230*H95 MM	Ø200 MM
UPW-COBTH-550	40W	Ø280*H120 MM	Ø240 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-304	10W	Ø130*H65 MM	Ø110 MM
UPW-COBTH-305	20W	Ø165*H70 MM	Ø130 MM
UPW-COBTH-306	30W	Ø195*H75 MM	Ø170 MM
UPW-COBTH-307	40W	Ø230*H80 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-551	10W	Ø145*H60 MM	Ø125 MM
UPW-COBTH-552	20W	Ø190*H60 MM	Ø160 MM
UPW-COBTH-553	30W	Ø220*H70 MM	Ø190 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-554	10W	Ø95*H49 MM	Ø75 MM
UPW-COBTH-555	15W	Ø115*H59 MM	Ø95 MM
UPW-COBTH-556	20W	Ø140*H72 MM	Ø115 MM
UPW-COBTH-557	30W	Ø165*H88 MM	Ø145 MM
UPW-COBTH-558	50W	Ø195*H100 MM	Ø165 MM
UPW-COBTH-559	70W	Ø230*H118 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-560	9W	Ø93*H46 MM	Ø75 MM
UPW-COBTH-561	12W	Ø112*H54 MM	Ø90 MM
UPW-COBTH-562	15W	Ø135*H63 MM	Ø110 MM
UPW-COBTH-563	20W	Ø163*H74 MM	Ø135 MM
UPW-COBTH-564	30W	Ø192*H85 MM	Ø160 MM
UPW-COBTH-565	40W	Ø225*H98 MM	Ø190 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	45° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-014	7W-12W	Ø94*H64 MM	Ø80 MM
UPW-COBTH-015	12W-15W	Ø114*H68 MM	Ø95 MM
UPW-COBTH-016	18W-24W	Ø140*H74 MM	Ø120 MM
UPW-COBTH-017	24W-36W	Ø184*H80 MM	Ø150 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36° / 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-300	7W-12W	Ø94*H64 MM	Ø80 MM
UPW-COBTH-301	12W-15W	Ø114*H68 MM	Ø95 MM
UPW-COBTH-302	18W-24W	Ø140*H74 MM	Ø120 MM
UPW-COBTH-303	24W-36W	Ø184*H80 MM	Ø150 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cutout Size	Reflector's Angle
UPW-COBTH-457	7W	Ø63*H69 MM	Ø55 MM	15° / 24° / 36° / 60°
UPW-COBTH-458	8W	Ø85*H64 MM	Ø75 MM	15° / 24° / 36° / 60°
UPW-COBTH-459	12W	Ø85*H74 MM	Ø75 MM	15° / 24° / 36° / 60°
UPW-COBTH-460	15W	Ø85*H89 MM	Ø75 MM	15° / 24° / 36° / 60°
UPW-COBTH-461	20W	Ø110*H83 MM	Ø95 MM	15° / 24° / 36° / 60°



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-063	7W	Ø100*H27 MM	Ø75 MM
UPW-COBTH-064	9W	Ø120*H28 MM	Ø95 MM
UPW-COBTH-065	12W	Ø135*H33 MM	Ø115 MM
UPW-COBTH-066	15W	Ø165*H33 MM	Ø145 MM
UPW-COBTH-067	20W	Ø195*H34 MM	Ø165 MM
UPW-COBTH-068	40W	Ø225*H36 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-411	9W	Ø100*H33 MM	Ø75 MM
UPW-COBTH-412	12W	Ø120*H33 MM	Ø95 MM
UPW-COBTH-413	15W	Ø145*H34 MM	Ø115 MM
UPW-COBTH-414	20W	Ø165*H34 MM	Ø145 MM
UPW-COBTH-415	25W	Ø180*H34 MM	Ø165 MM
UPW-COBTH-416	35W	Ø230*H35 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-462	15W	Ø83*H65 MM	Ø75 MM
UPW-COBTH-463	20W	Ø103*H70 MM	Ø95 MM
UPW-COBTH-464	30W	Ø132*H75 MM	Ø120 MM
UPW-COBTH-465	40W	Ø160*H80 MM	Ø145 MM
UPW-COBTH-466	50W	Ø180*H85 MM	Ø165 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-025	15W	Ø82*H95 MM	Ø75 MM
UPW-COBTH-026	30W	Ø104*H120 MM	Ø95 MM
UPW-COBTH-027	35W	Ø120*H125 MM	Ø105 MM
UPW-COBTH-028	40W	Ø130*H132 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36° / 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-029	15W	Ø82*H95 MM	Ø75 MM
UPW-COBTH-030	30W	Ø104*H120 MM	Ø95 MM
UPW-COBTH-031	35W	Ø120*H125 MM	Ø105 MM
UPW-COBTH-032	40W	Ø130*H132 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36° / 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-052	5-7W	Ø51*H70 MM	Ø45 MM
UPW-COBTH-053	8-10W	Ø62*H70 MM	Ø55 MM
UPW-COBTH-054	10W	Ø72*H77 MM	Ø65 MM
UPW-COBTH-055	12W	Ø82*H77 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-417	5W	Ø51*H70 MM	Ø45 MM
UPW-COBTH-418	7W	Ø62*H70 MM	Ø55 MM
UPW-COBTH-419	10W	Ø72*H70 MM	Ø65 MM
UPW-COBTH-420	12W	Ø82*H70 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-049	12W	Ø83*H42 MM	Ø75 MM
UPW-COBTH-050	18W	Ø104*H44 MM	Ø95 MM
UPW-COBTH-051	24W	Ø134*H46 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-057	12W	Ø62*H58 MM	Ø55 MM
UPW-COBTH-058	18W	Ø83*H62MM	Ø75 MM
UPW-COBTH-059	24W	Ø105*H74 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36° / 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-427	5W	Ø40*H60 MM	Ø35 MM
UPW-COBTH-428	9W	Ø60*H78MM	Ø55 MM
UPW-COBTH-429	12W	Ø74*H95MM	Ø69 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	25°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-069	3W	Ø35*H45 MM	Ø30 MM
UPW-COBTH-070	5W	Ø48*H50 MM	Ø40 MM
UPW-COBTH-071	7W	Ø60*H63 MM	Ø50 MM
UPW-COBTH-072	9W	Ø70*H71 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-073	5W	Ø40*H57 MM	Ø35 MM
UPW-COBTH-074	7W	Ø60*H76 MM	Ø55 MM
UPW-COBTH-075	12W	Ø75*H98 MM	Ø65 MM
UPW-COBTH-076	18W	Ø85*H99 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Adjustable





Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-039	3W	Ø35*H46 MM	Ø30 MM
UPW-COBTH-040	5W	Ø50*H49 MM	Ø40 MM
UPW-COBTH-041	7W	Ø60*H63 MM	Ø50 MM
UPW-COBTH-042	10W	Ø70*H70 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-083	3W	Ø35*H45 MM	Ø28 MM
UPW-COBTH-084	5W	Ø45*H40 MM	Ø40 MM
UPW-COBTH-085	7W	Ø55*H58 MM	Ø50 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-421	7W	Ø40*H66 MM	Ø35 MM
UPW-COBTH-422	12W	Ø60*H85 MM	Ø55 MM
UPW-COBTH-423	18W	Ø75*H104 MM	Ø65 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-424	3W	Ø48*H53 MM	Ø40 MM
UPW-COBTH-425	7W	Ø68*H80 MM	Ø55 MM
UPW-COBTH-426	10W	Ø68*H90 MM	Ø55 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-566	20W	Ø98*H99 MM	Ø85 MM
UPW-COBTH-567	30W	Ø98*H118 MM	Ø85 MM
UPW-COBTH-568	40W	Ø98*H132 MM	Ø85 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-569	20W	Ø92*H122 MM	Ø85 MM
UPW-COBTH-570	30W	Ø92*H140 MM	Ø85 MM
UPW-COBTH-571	40W	Ø92*H155 MM	Ø85 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-572	20W	L93*L93*H124 MM	Ø85 MM
UPW-COBTH-573	30W	L93*L93*H142 MM	Ø85 MM
UPW-COBTH-574	40W	L93*L93*H158 MM	Ø85 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-575	12W	Ø100*H64 MM	Ø95 MM
UPW-COBTH-576	20W	Ø120*H68 MM	Ø115 MM
UPW-COBTH-577	30W	Ø165*H79 MM	Ø150 MM
UPW-COBTH-578	40W	Ø210*H86 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	50°, 60°, 80°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-126	10W	Ø90*H75 MM	Ø75 MM
UPW-COBTH-127	15W	Ø110*H86 MM	Ø96 MM
UPW-COBTH-128	20W	Ø135*H107 MM	Ø120 MM
UPW-COBTH-129	30W	Ø165*H135 MM	Ø150 MM
UPW-COBTH-130	40W	Ø180*H85 MM	Ø165 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-131	10W	Ø88*H90 MM	Ø80 MM
UPW-COBTH-132	15W	Ø110*H120 MM	Ø100 MM
UPW-COBTH-133	20W	Ø135*H140 MM	Ø120 MM
UPW-COBTH-134	30W	Ø160*H150 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-135	10W*2	L170*W88*H90 MM	L155*W80 MM
UPW-COBTH-136	15W*2	L210*W110*H120 MM	L195*W100 MM
UPW-COBTH-137	20W*2	L250*W140*H145 MM	L230*W125 MM
UPW-COBTH-138	30W*2	L303*W160*H150 MM	L280*W145 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-139	10W	Ø90*H105 MM	Ø75 MM
UPW-COBTH-140	15W	Ø90*H115 MM	Ø75 MM
UPW-COBTH-141	20W	Ø110*H132 MM	Ø93 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-142	20W	Ø140*H160 MM	Ø120 MM
UPW-COBTH-143	30W	Ø160*H155 MM	Ø145 MM
UPW-COBTH-144	40W	Ø180*H155 MM	Ø165 MM
UPW-COBTH-145	50W	Ø230*H180 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-146	10W-15W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-147	20W	Φ104*H73 MM	Ø95 MM
UPW-COBTH-148	25W-30W	Φ130*H85 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-149	10W-15W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-150	20W	Φ104*H73 MM	Ø95 MM
UPW-COBTH-151	25W-30W	Φ130*H85 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-152	10W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-153	15W	Φ84*H65 MM	Ø75 MM
UPW-COBTH-154	20W	Φ104*H73 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-155	5W	Ø68*H50 MM	Ø55 MM
UPW-COBTH-156	7W	Ø68*H74 MM	Ø55 MM
UPW-COBTH-157	10W	Ø85*H80 MM	Ø70 MM
UPW-COBTH-158	15W	Ø108*H90 MM	Ø90 MM
UPW-COBTH-159	20W	Ø108*H110 MM	Ø90 MM
UPW-COBTH-160	30W	Ø138*H113 MM	Ø115 MM
UPW-COBTH-161	40W	Ø160*H135 MM	Ø135 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-162	5W	Ø100*H50 MM	Ø70-85 MM
UPW-COBTH-163	7W	Ø110*H50 MM	Ø85-95 MM
UPW-COBTH-164	9W	Ø120*H50 MM	Ø95-105 MM
UPW-COBTH-165	15W	Ø145*H57 MM	Ø115-130 MM
UPW-COBTH-166	18W	Ø180*H57MM	Ø150-170 MM
UPW-COBTH-167	24W	Ø190*H57 MM	Ø160-180 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-168	10W	Ø86*H65 MM	Ø75 MM
UPW-COBTH-169	15W	Ø109*H74 MM	Ø95 MM
UPW-COBTH-170	24W	Ø134*H95 MM	Ø120 MM
UPW-COBTH-171	30W	Ø157*H110 MM	Ø150 MM
UPW-COBTH-172	40W	Ø183*H124 MM	Ø175 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-173	7W	Ø88*H46 MM	Ø75 MM
UPW-COBTH-174	12W	Ø105*H60 MM	Ø90 MM
UPW-COBTH-175	15W	Ø130*H68 MM	Ø110 MM
UPW-COBTH-176	24W	Ø185*H93 MM	Ø165 MM
UPW-COBTH-177	30W	Ø220*H98 MM	Ø195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-178	20-25W	Φ93*H105 MM	Ø80 MM
UPW-COBTH-179	30-35W	Φ105*H115 MM	Ø95 MM
UPW-COBTH-180	35-40W	Φ125*H130 MM	Ø110 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-181	12W	Φ84*47 MM	Ø75 MM
UPW-COBTH-182	15W	Φ104*50 MM	Ø95 MM
UPW-COBTH-183	24W	Φ128*58 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP44
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size
UPW-COBTH-406	10W	Ø90*H90 MM
UPW-COBTH-407	15W	Ø110*H120 MM
UPW-COBTH-408	25W	Ø130*H150 MM
UPW-COBTH-409	35W	Ø170*H180 MM
UPW-COBTH-410	45W	Ø195*H195 MM
Led's Brand	Bridgelux, CREE, Osram, Philips	
Warranty	5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade IP65
Input Voltage	220V-240VAC	Beam Angle Options 15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K	

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-184	5W	Ø34*H58 MM	Ø30 MM
UPW-COBTH-185	5W	Ø39*H58 MM	Ø35 MM
UPW-COBTH-186	7W	Ø45*H80 MM	Ø40 MM
UPW-COBTH-187	7W	Ø50*H80 MM	Ø45 MM
UPW-COBTH-188	10W	Ø55*H78 MM	Ø50 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material Aluminum Alloy	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade IP20	IP20
Input Voltage	220V-240VAC	Beam Angle	10°, 15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-080	7W	Ø35*H70 MM	Ø30 MM
UPW-COBTH-081	9W	Ø45*H72 MM	Ø40 MM
UPW-COBTH-082	12W	Ø55*H79 MM	Ø50 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size
UPW-COBTH-008	10W	Ø72*H75 MM
UPW-COBTH-009	15W	Ø90*H90 MM
UPW-COBTH-010	25W	Ø110*H110 MM
UPW-COBTH-011	30W	Ø130*H130 MM
UPW-COBTH-012	40W	Ø170*H170 MM
UPW-COBTH-086	50W	Ø195*H190 MM
Led's Brand	Bridgelux, CREE, Osram, Philips, etc	
Warranty	5 Years	Material Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade IP20
Input Voltage	220V-240VAC	Beam Angle Options 20°, 40°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K	



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-018	10W	Ø70*H55 MM	Ø60 MM
UPW-COBTH-019	15W	Ø95*H75 MM	Ø80 MM
UPW-COBTH-020	20W	Ø120*H95 MM	Ø100 MM
UPW-COBTH-021	30W	Ø140*H105 MM	Ø120 MM
UPW-COBTH-022	40W-50W	Ø167*H120 MM	Ø150 MM
UPW-COBTH-023	60W-80W	Ø197*H140 MM	Ø185 MM
UPW-COBTH-024	80W-100W	Ø236*H165 MM	Ø220 MM
Led's Brand	Bridgelux, CREE, Osram, Philips		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 30° / 45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-219	12W-15W	Ø95*H72 MM	Ø75 MM
UPW-COBTH-220	18W-24W	Ø120*H80 MM	Ø90 MM
UPW-COBTH-221	24W-36W	Ø155*H96 MM	Ø120 MM
UPW-COBTH-222	30W-50W	Ø193*H110 MM	Ø150 MM
UPW-COBTH-223	60W-80W	Ø252*H122 MM	Ø210 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	24°, 45°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-033	5W-7W	Ø106*H40 MM	Ø80 MM
UPW-COBTH-034	7W-9W	Ø115*H43 MM	Ø90 MM
UPW-COBTH-035	9W-12W	Ø140*H48 MM	Ø110 MM
UPW-COBTH-036	15W-18W	Ø180*H55 MM	Ø145 MM
UPW-COBTH-037	18W-24W	Ø190*H55 MM	Ø160 MM
UPW-COBTH-038	30W-40W	Ø230*H60 MM	Ø190 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	
UPW-COBTH-043	5W-7W	Ø65*H70 MM	
UPW-COBTH-045	10W-12W	Ø85*H70 MM	
Led's Brand	Bridgelux, CREE, Osram, Lumileds		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15° / 24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-224	12W	Φ86*H60 MM	Ø75 MM
UPW-COBTH-225	20W	Φ103*H72 MM	Ø90 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-319	12W	Φ85*H50 MM	Ø75 MM
UPW-COBTH-320	20W	Φ108*H64 MM	Ø95 MM
UPW-COBTH-321	30W	Φ130*H77 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-226	10W	Ø70*H124 MM	Ø55 MM
UPW-COBTH-227	12W-15W	Ø95*H125 MM	Ø75 MM
UPW-COBTH-228	15W-20W	Ø95*H149 MM	Ø75 MM
UPW-COBTH-229	35W	Ø120*H176 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-266	8W	L91*W53*H89 MM	Ø55 MM
UPW-COBTH-267	12W	L116*W71*H90 MM	Ø75 MM
UPW-COBTH-268	15W	L116*W71*H102 MM	Ø75 MM
UPW-COBTH-269	20W	L142*W92*H113 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



IP65




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-230	12W	Ø90*H45 MM	Ø75 MM
UPW-COBTH-231	18W	Ø110*H50 MM	Ø95 MM
UPW-COBTH-232	24W	Ø140*H55 MM	Ø120 MM
UPW-COBTH-233	35W	Ø165*H60 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-234	7W	Φ61*H47 MM	Ø55 MM
UPW-COBTH-235	12W	Φ83*H52 MM	Ø75 MM
UPW-COBTH-236	15W	Φ103*H57 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




IP65



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-237	8W-10W	Φ61*H76 MM	Ø55 MM
UPW-COBTH-238	12W-15W	Φ83*H81 MM	Ø75 MM
UPW-COBTH-239	24W-30W	Φ103*H98 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	
UPW-COBTH-240	15W	L80*W80*H83 MM	
UPW-COBTH-241	20W	L100*W100*H96 MM	
UPW-COBTH-242	30W	L130*W130*H121 MM	
UPW-COBTH-243	40W	L150*W150*H136 MM	
UPW-COBTH-244	50W	L170*W170*H156 MM	
Led's Brand	Bridgelux, CREE, Osram, Lumileds		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24° / 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-245	15W	L80*W80*H66 MM	Ø75 MM
UPW-COBTH-246	24W	L100*W100*H73 MM	Ø95 MM
UPW-COBTH-247	36W	L130*W130*H82 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-248	15W	Ø80*H69 MM	Ø75 MM
UPW-COBTH-249	24W	Ø100*H73 MM	Ø95 MM
UPW-COBTH-250	36W	Ø130*H82 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65




IP65



Model N.O.	Power	Product Size	
UPW-COBTH-251	15W	Ø80*H90 MM	
UPW-COBTH-252	20W	Ø100*H100 MM	
UPW-COBTH-253	30W	Ø130*H130 MM	
UPW-COBTH-254	40W	Ø150*H140 MM	
UPW-COBTH-255	50W	Ø170*H160 MM	
UPW-COBTH-256	60W	Ø200*H190 MM	
Led's Brand	Bridgelux, CREE, Osram, Lumileds		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-322	10W	Ø88*H62 MM	Ø75 MM
UPW-COBTH-323	15W	Ø110*H74 MM	Ø95 MM
UPW-COBTH-324	20W	Ø142*H86 MM	Ø125 MM
UPW-COBTH-325	25W	Ø164*H98 MM	Ø145 MM
UPW-COBTH-326	30W	Ø191*H110 MM	Ø170 MM
UPW-COBTH-327	40W	Ø208*H122 MM	Ø185 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP54-IP65
Input Voltage	220V-240VAC	Beam Angle Options	20°, 40°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-328	15W	Ø65*H65 MM	Ø55 MM
UPW-COBTH-329	20W	Ø87*H78 MM	Ø75 MM
UPW-COBTH-330	30W	Ø108*H93 MM	Ø95 MM
UPW-COBTH-331	40W	Ø139*H123 MM	Ø125 MM
UPW-COBTH-332	50W	Ø150*H143 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 38°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-263	12W	Φ88*H75 MM	Ø75 MM
UPW-COBTH-264	20W	Ø108*H93 MM	Ø95 MM
UPW-COBTH-265	30W	Φ118*H95 MM	Ø105 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Product Size	
UPW-COBTH-270	10W	Ø71*H75 MM	
UPW-COBTH-271	15W	Ø91*H90 MM	
UPW-COBTH-272	24W	Ø120*H110 MM	
UPW-COBTH-273	30W	Ø143*H130 MM	
Led's Brand	Bridgelux, CREE, Osram, Lumileds		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-279	7W	L89*W51*H69 MM	Ø55 MM
UPW-COBTH-280	10W	L114*W71*H64 MM	Ø75 MM
UPW-COBTH-281	12W	L114*W71*H74 MM	Ø75 MM
UPW-COBTH-282	20W	L141*W92*H83 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-286	7W	Ø81*H69 MM	Ø55 MM
UPW-COBTH-287	10W	Ø101*H74 MM	Ø75 MM
UPW-COBTH-288	12W	Ø101*H89 MM	Ø75 MM
UPW-COBTH-289	20W	Ø130*H83 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-290	10W	Ø84*H71 MM	Ø75 MM
UPW-COBTH-291	15W	Ø104*H76 MM	Ø95 MM
UPW-COBTH-292	20W	Ø135*H81 MM	Ø125 MM
UPW-COBTH-293	24W	Ø160*H86 MM	Ø145 MM
UPW-COBTH-294	30W	Ø180*H92 MM	Ø165 MM
UPW-COBTH-295	40W	Ø202*H98 MM	Ø185 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-296	8W*2	L168*W88*H64 MM	L160*W75 MM
UPW-COBTH-297	12W*2	L168*W88*H74 MM	L160*W75 MM
UPW-COBTH-298	15W*2	L168*W88*H89 MM	L160*W75 MM
UPW-COBTH-299	20W*2	L216*W115*H83 MM	L203*W95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-333	10W	Ø90*H60 MM	Ø75 MM
UPW-COBTH-334	15W	Ø110*H76 MM	Ø95 MM
UPW-COBTH-335	20W	Ø135*H81 MM	Ø125 MM
UPW-COBTH-336	24W	Ø160*H86 MM	Ø145 MM
UPW-COBTH-337	30W	Ø180*H92 MM	Ø165 MM
UPW-COBTH-338	40W	Ø202*H98 MM	Ø185 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-467	10W	Ø68*H92 MM	Ø55 MM
UPW-COBTH-468	12W	Ø78*H100 MM	Ø65 MM
UPW-COBTH-469	20W	Ø88*H106 MM	Ø75 MM
UPW-COBTH-470	24W	Ø100*H112 MM	Ø85 MM
UPW-COBTH-471	30W	Ø110*H122 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-472	7W	Ø63*H69 MM	Ø55 MM
UPW-COBTH-473	8W	Ø85*H64 MM	Ø75 MM
UPW-COBTH-474	12W	Ø85*H74 MM	Ø75 MM
UPW-COBTH-475	15W	Ø85*H89 MM	Ø75 MM
UPW-COBTH-476	20W	Ø110*H83 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-339	20W	Ø85*H110 MM	Ø75 MM
UPW-COBTH-340	30W	Ø105*H125 MM	Ø95 MM
UPW-COBTH-341	50W	Ø135*H160 MM	Ø125 MM
UPW-COBTH-342	80W	Ø175*H190 MM	Ø165 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-343	10W	Ø63*H92 MM	Ø55 MM
UPW-COBTH-344	15W	Ø83*H116 MM	Ø75 MM
UPW-COBTH-345	30W	Ø112*H148 MM	Ø95 MM
UPW-COBTH-346	50W	Ø146*H168 MM	Ø125 MM
UPW-COBTH-347	60W	Ø168*H188 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-435	5W	Ø42*H56 MM	Ø35 MM
UPW-COBTH-436	7W	Ø52*H58 MM	Ø45 MM
UPW-COBTH-437	9W	Ø62*H59 MM	Ø55 MM
UPW-COBTH-438	12W	Ø71*H62 MM	Ø65 MM
UPW-COBTH-439	15W	Ø80*H65 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	
UPW-COBTH-348	5W	Ø65*H70 MM	
UPW-COBTH-349	7W	Ø75*H75 MM	
UPW-COBTH-350	9W	Ø85*H80 MM	
Led's Brand	Bridgelux, CREE, Osram, Lumileds		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-351	10W	Ø65*H69 MM	Ø55 MM
UPW-COBTH-352	15W	Ø85*H74 MM	Ø75 MM
UPW-COBTH-353	25W	Ø104*H90 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-354	5W	Ø65*H72 MM	Ø55 MM
UPW-COBTH-355	10W	Ø90*H92 MM	Ø75 MM
UPW-COBTH-356	20W	Ø106*H100 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-357	10W	Ø85*H48 MM	Ø75 MM
UPW-COBTH-358	15W	Ø109*H53 MM	Ø95 MM
UPW-COBTH-359	25W	Ø139*H60 MM	Ø120 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-446	7W	Ø65*H72 MM	Ø55 MM
UPW-COBTH-447	12W	Ø85*H79 MM	Ø75 MM
UPW-COBTH-448	20W	Ø105*H94 MM	Ø95 MM
UPW-COBTH-449	28W	Ø135*H107 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	24°, 36°, 55°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	
UPW-COBTH-440	12W	Ø75*H150 MM	
UPW-COBTH-441	18W	Ø95*H150 MM	
UPW-COBTH-442	25W	Ø115*H160 MM	
Led's Brand	Bridgelux, CREE, Osram, Lumileds		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-443	15W-18W	Ø90*H85 MM	Ø80 MM
UPW-COBTH-444	25W-30W	Ø110*H105 MM	Ø95 MM
UPW-COBTH-445	32W-35W	Ø135*H120 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-365	12W	Ø100*H70 MM	Ø90 MM
UPW-COBTH-366	18W	Ø120*H80 MM	Ø110 MM
UPW-COBTH-367	24W	Ø150*H90 MM	Ø140 MM
UPW-COBTH-368	36W	Ø175*H100 MM	Ø165 MM
UPW-COBTH-369	55W	Ø230*H110 MM	Ø220 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP54
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-370	10W	Ø110*H46 MM	Ø100 MM
UPW-COBTH-371	15W	Ø130*H46 MM	Ø120 MM
UPW-COBTH-372	20W	Ø160*H48 MM	Ø150 MM
UPW-COBTH-373	25W	Ø180*H53 MM	Ø170 MM
UPW-COBTH-374	30W	Ø200*H53 MM	Ø190 MM
UPW-COBTH-375	40W	Ø230*H58 MM	Ø220 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	120°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-376	2W	L45*W45*H50 MM	L37*W37 MM
UPW-COBTH-377	4W	L75*W45*H50 MM	L67*W37 MM
UPW-COBTH-378	10W	L147*W45*H50 MM	L139*W37 MM
UPW-COBTH-379	20W	L279*W45*H50 MM	L272*W37 MM
UPW-COBTH-380	30W	L411*W45*H50 MM	L403*W37 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 30°, 45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-381	6W	L102*W41*H54 MM	L60*W35 MM
UPW-COBTH-382	10W	L162*W41*H54 MM	L120*W35 MM
UPW-COBTH-383	20W	L310*W41*H54 MM	L270*W35 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	24°, 36°, 45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-384	8W	Ø61*H82 MM	Ø55 MM
UPW-COBTH-385	10W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-386	12W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-387	20W	Ø93*H98 MM	Ø85 MM
UPW-COBTH-388	24W	Ø103*H98 MM	Ø95 MM
UPW-COBTH-389	30W	Ø135*H117 MM	Ø120 MM
UPW-COBTH-390	40W	Ø155*H127 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-391	8W	Ø61*H82 MM	Ø55 MM
UPW-COBTH-392	10W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-393	12W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-394	20W	Ø93*H98 MM	Ø85 MM
UPW-COBTH-395	24W	Ø103*H98 MM	Ø95 MM
UPW-COBTH-396	30W	Ø135*H117 MM	Ø120 MM
UPW-COBTH-397	40W	Ø155*H127 MM	Ø140 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-398	8W	Ø66*H87 MM	Ø55 MM
UPW-COBTH-399	10W	Ø76*H82 MM	Ø65 MM
UPW-COBTH-400	12W	Ø86*H81 MM	Ø75 MM
UPW-COBTH-401	20W	Ø96*H99 MM	Ø85 MM
UPW-COBTH-402	24W	Ø106*H100 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-403	8W	Ø80*H82 MM	Ø55 MM
UPW-COBTH-404	10W	Ø90*H81 MM	Ø65 MM
UPW-COBTH-405	12W	Ø100*H80 MM	Ø75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



IP65



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-598	8W	Ø62*H86 MM	Ø55 MM
UPW-COBTH-599	10W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-600	12W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-601	20W	Ø92*H98 MM	Ø85 MM
UPW-COBTH-602	24W	Ø102*H99 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-603	2*8W	L120*W62*H82 MM	L115*W55 MM
UPW-COBTH-604	2*10W	L144*W74*H81 MM	L135*W65 MM
UPW-COBTH-605	2*12W	L164*W84*H80 MM	L155*W75 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



IP65



IP65

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-606	12W	L92*W92*H90 MM	L80*W80 MM
UPW-COBTH-607	2*12W	L169*W92*H90 MM	L160*W80 MM
UPW-COBTH-608	3*12W	L246*W92*H90 MM	L235*W80 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-609	12W	L120*W120*H90 MM	L80*W80 MM
UPW-COBTH-610	2*12W	L197*W120*H90 MM	L160*W80 MM
UPW-COBTH-611	3*12W	L273*W120*H90 MM	L235*W80 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-612	10W	Ø95*H45 MM	Ø75 MM
UPW-COBTH-613	15W	Ø108*H49 MM	Ø95 MM
UPW-COBTH-614	20W	Ø138*H54 MM	Ø120 MM
UPW-COBTH-615	24W	Ø160*H57 MM	Ø140 MM
UPW-COBTH-616	30W	Ø182*H60 MM	Ø160 MM
UPW-COBTH-617	36W	Ø225*H62 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-618	5W	Ø62*H86 MM	Ø55 MM
UPW-COBTH-619	7W	Ø72*H81 MM	Ø65 MM
UPW-COBTH-620	10W	Ø82*H80 MM	Ø75 MM
UPW-COBTH-621	12W	Ø92*H98 MM	Ø85 MM
UPW-COBTH-622	15W	Ø102*H99 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-623	10W	Ø65*H85 MM	Ø55 MM
UPW-COBTH-624	15W	Ø87*H93 MM	Ø75 MM
UPW-COBTH-625	25W	Ø108*115 MM	Ø95 MM
UPW-COBTH-626	35W	Ø139*H130 MM	Ø125 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 38°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-627	8W	Ø65*H85 MM	Ø75 MM
UPW-COBTH-628	12W	Ø87*H93 MM	Ø90 MM
UPW-COBTH-629	15W	Ø108*115 MM	Ø100 MM
UPW-COBTH-630	18W	Ø139*H130 MM	Ø115 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-631	10W	Ø82*H53 MM	Ø75 MM
UPW-COBTH-632	12W	Ø96*H58 MM	Ø90 MM
UPW-COBTH-633	15W	Ø106*H63 MM	Ø100 MM
UPW-COBTH-634	20W	Ø123*H68 MM	Ø115 MM
UPW-COBTH-635	30W	Ø155*H76 MM	Ø145 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 36°, 60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-636	10W	Ø82*H53 MM	Ø75 MM
UPW-COBTH-637	12W	Ø96*H58 MM	Ø90 MM
UPW-COBTH-638	15W	Ø106*H63 MM	Ø100 MM
UPW-COBTH-639	20W	Ø123*H68 MM	Ø115 MM
UPW-COBTH-640	30W	Ø155*H76 MM	Ø145 MM
UPW-COBTH-641	40W	Ø185*H83 MM	Ø170 MM
Led's Brand	Bridgelux, CREE, Osram, etc		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	60°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		




Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-642	10W	Ø100*H75 MM	Ø90 MM
UPW-COBTH-643	20W	Ø140*H90 MM	Ø130 MM
UPW-COBTH-644	30W	Ø185*H112 MM	Ø170 MM
UPW-COBTH-645	40W	Ø230*H128 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	45°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-646	15W	Ø115*H78 MM	Ø95 MM
UPW-COBTH-647	20W	Ø135*H80 MM	Ø120 MM
UPW-COBTH-648	30W	Ø170*H95 MM	Ø150 MM
UPW-COBTH-649	40W	Ø195*H105 MM	Ø170 MM
UPW-COBTH-650	50W	Ø220*H130 MM	Ø200 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeglerise, etc	Protect Grade	IP65
Input Voltage	220V-240VAC	Beam Angle	50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-579	5W	L65*W50*H65 MM	L45*W40 MM
UPW-COBTH-580	10W	L98*W50*H65 MM	L85*W40 MM
UPW-COBTH-581	15W	L138*W50*H65 MM	L124*W40 MM
UPW-COBTH-582	20W	L178*W50*H65 MM	L165*W40 MM
UPW-COBTH-583	25W	L213*W50*H65 MM	L204*W40 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-584	7W	Ø42*H78 MM	Ø35 MM
UPW-COBTH-585	10W	Ø52*H84 MM	Ø45 MM
UPW-COBTH-586	15W	Ø62*H87 MM	Ø55 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeclerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-587	7W	Ø60*H74 MM	Ø40 MM
UPW-COBTH-588	10W	Ø70*H79 MM	Ø50 MM
UPW-COBTH-589	15W	Ø80*H80 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-590	3W	Ø38*H38 MM	Ø30 MM
UPW-COBTH-591	5W	Ø45*H50 MM	Ø40 MM
UPW-COBTH-592	7W	Ø57*H57 MM	Ø50 MM
UPW-COBTH-593	9W	Ø62*H67 MM	Ø55 MM
UPW-COBTH-594	12W	Ø68*H76 MM	Ø60 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeqlerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		



Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-595	5W	Ø40*H65 MM	Ø35 MM
UPW-COBTH-596	7W	Ø50*H66 MM	Ø45 MM
UPW-COBTH-597	9W	Ø60*H73 MM	Ø55 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle Options	15°, 24°, 36°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		

Model N.O.	Power	Product Size	Cut-out Size
UPW-COBTH-430	8W	Ø66*H81 MM	Ø55 MM
UPW-COBTH-431	10W	Ø76*H82 MM	Ø65 MM
UPW-COBTH-432	12W	Ø86*H81 MM	Ø75 MM
UPW-COBTH-433	20W	Ø96*H96 MM	Ø85 MM
UPW-COBTH-434	24W	Ø106*H105 MM	Ø95 MM
Led's Brand	Bridgelux, CREE, Osram		
Warranty	5 Years	Material	Aluminum Alloy
Driver	Li-Fud, Euchips, Eeplerise, etc	Protect Grade	IP20
Input Voltage	220V-240VAC	Beam Angle	15°, 24°, 36°, 50°
Led's Color Options	2700K, 3000K, 4000K, 5000K, 5700K, 6500K		